

List of publications

Sven Heinemeyer

- [1] S. Heinemeyer and W. Hollik,
“*The decay $h^0 \rightarrow A^0 A^0$: a complete 1-loop calculation in the MSSM*”
Nucl. Phys. **B 474** (1996) 32, hep-ph/9602318.
- [2] A. Djouadi, P. Gambino, S. Heinemeyer, W. Hollik, C. Jünger and G. Weiglein,
“*Supersymmetric contributions to electroweak precision observables: QCD corrections*”
Phys. Rev. Lett. **78** (1997) 3626, hep-ph/9612363.
- [3] A. Djouadi, P. Gambino, S. Heinemeyer, W. Hollik, C. Jünger and G. Weiglein,
“*Leading QCD corrections to scalar quark contributions to electroweak precision observables*”
Phys. Rev. D **57** (1998) 4179, hep-ph/9710438.
- [4] S. Heinemeyer,
“*Two-loop Calculations in the MSSM*”
appeared in *Proceedings of the Workshop “Quantum Effects in the MSSM”*,
ed. J. Sola (World Scientific, Singapore, 1997), hep-ph/9803294.
- [5] S. Heinemeyer, W. Hollik and G. Weiglein,
“*QCD corrections to the masses of the neutral CP -even Higgs bosons in the MSSM*”
Phys. Rev. D **58** (1998) 091701, hep-ph/9803277.
- [6] S. Heinemeyer, W. Hollik and G. Weiglein,
“*Two-Loop Results for the Masses of the Neutral CP -even Higgs Bosons in the MSSM*”
appeared in *Proceedings of the XXXIIIrd Rencontres de Moriond: Electroweak interactions and unified theories*, Les Arcs, March 14–21, 1998, hep-ph/9806250.
- [7] S. Heinemeyer, W. Hollik and G. Weiglein,
“*Diagrammatic calculations of the MSSM neutral Higgs masses up to two loop*”
Acta Phys. Pol. **29** (1998) 2727.

- [8] S. Heinemeyer, W. Hollik and G. Weiglein,
“Precise prediction for the mass of the lightest Higgs boson in the MSSM”
Phys. Lett. B **440** (1998) 296, hep-ph/9807423.
- [9] S. Heinemeyer, W. Hollik and G. Weiglein,
“The masses of the neutral \mathcal{CP} -even Higgs bosons in the MSSM: accurate analysis at the two-loop level”
Eur. Phys. J. C **9** (1999) 343, hep-ph/9812472.
- [10] S. Heinemeyer, W. Hollik and G. Weiglein,
“FeynHiggs: a program for the calculation of the masses of the neutral \mathcal{CP} -even Higgs bosons in the MSSM”
Comp. Phys. Comm. **124** (2000) 76, hep-ph/9812320.
- [11] S. Heinemeyer, W. Hollik and G. Weiglein,
“The mass of the lightest MSSM Higgs boson: a compact analytical expression at the two-loop level”
Phys. Lett. B **455** (1999) 179, hep-ph/9903404.
- [12] S. Heinemeyer, W. Hollik and G. Weiglein,
“Accurate Prediction for the Mass of the Lightest Higgs Boson in the MSSM”
 KA-TP-2-1999, contributed to [35].
- [13] S. Heinemeyer, W. Hollik and G. Weiglein,
“Precision analysis of the masses of the neutral Higgs bosons in the MSSM”
Acta Phys. Pol. **30** (1999) 1985, hep-ph/9903504.
- [14] S. Heinemeyer, W. Hollik and G. Weiglein,
“Constraints on $\tan \beta$ in the MSSM from the Upper Bound on the Mass of the Lightest Higgs boson”
JHEP **06** (2000) 009, hep-ph/9909540.
- [15] S. Heinemeyer, W. Hollik and G. Weiglein,
“Precise Calculations for the neutral Higgs-boson masses in the MSSM”
 in *Proceedings of the International Workshop on Linear Colliders*, Sitges, April 28 – May 5, 1999, hep-ph/9910283.
- [16] S. Heinemeyer, Th. Mannel and G. Weiglein,
“Implications of results from Z- and WW- threshold running”
 in *Proceedings of the International Workshop on Linear Colliders*, Sitges, April 28 – May 5, 1999, hep-ph/9909538.
- [17] S. Heinemeyer, W. Hollik and G. Weiglein,
“The neutral MSSM Higgs-boson masses and Bounds on $\tan \beta$ ”
 appeared in *Proceedings of the International Europhysics Conference on High Energy Physics*, Tampere, July 15–21, 1999, hep-ph/9912263.

- [18] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,
“Suggestions for Improved Benchmark Scenarios for Higgs-Boson searches at LEP2”
 Contribution to the Workshop on *New Theoretical Developments for Higgs Physics at LEP2*, CERN, October 27, 1999, hep-ph/9912223.
- [19] A. Dedes, S. Heinemeyer, P. Teixeira-Dias and G. Weiglein,
“Upper Limit on m_h in the MSSM and M-SUGRA vs. prospective reach of LEP”
Jour. Phys. G **26** (2000) 582, hep-ph/9912249 and hep-ph/9912302.
- [20] M. Carena, H. Haber, S. Heinemeyer, W. Hollik, C. Wagner and G. Weiglein,
“Reconciling the Two-Loop Diagrammatic and Effective Field Theory Computations of the Mass of the Lightest \mathcal{CP} -even Higgs boson in the MSSM”
Nucl. Phys. B **580** (2000) 29, hep-ph/0001002.
- [21] S. Ambrosanio, S. Heinemeyer and G. Weiglein,
“Aspects of GMSB Phenomenology at TeV Colliders”
 hep-ph/0002191.
- [22] S. Heinemeyer, W. Hollik and G. Weiglein,
“FeynHiggsFast: a program for the calculation of masses and mixing angles in the Higgs Sector of the MSSM”
 hep-ph/0002213.
- [23] A. Djouadi et al.,
“The Higgs Working Group: Summary Report”
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 1999, hep-ph/0002258.
- [24] S. Heinemeyer, W. Hollik and G. Weiglein,
“Decay widths of the neutral \mathcal{CP} -even MSSM Higgs bosons in the Feynman-diagrammatic approach”
Eur. Phys. J. C **16** (2000) 139, hep-ph/0003022.
- [25] P. Bock et al.,
“Searches for Higgs bosons: Preliminary combined results using LEP data collected at energies up to 202 GeV”
 CERN-EP-2000-055.
- [26] M. Beneke et al.,
“Top Quark Physics”
 Report of the Top Quark Physics Working Group of the *CERN Workshop on SM physics (and more) at the LHC*, hep-ph/0003033.
- [27] S. Haywood et al.,
“Electroweak Physics”
 Report of the Electroweak Physics Working Group of the *CERN Workshop on SM physics (and more) at the LHC*, hep-ph/0003275.

- [28] J. Erler, S. Heinemeyer, W. Hollik, G. Weiglein and P. Zerwas,
 “*Physics Impact of GigaZ*”
Phys. Lett. B **486** (2000) 125, hep-ph/0005024.
- [29] S. Abdullin et al.,
 “*The SUSY Working Group: Summary Report*”
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches,
 June 1999, hep-ph/0005142.
- [30] S. Heinemeyer and G. Weiglein,
 “*Two-Loop Corrections to Higgs Production and Decay in the MSSM*”
Nucl. Phys. B (Proc. Suppl.) **89** (2000) .
- [31] S. Heinemeyer and G. Weiglein,
 “*Higgs Mass Predictions and Electroweak Precision Observables in the Stan-
 dard Model and the MSSM*”
Nucl. Phys. B (Proc. Suppl.) **89** (2000) 216, hep-ph/0007307.
- [32] A. Freitas, S. Heinemeyer, W. Hollik, W. Walter and G. Weiglein,
 “*Calculation for Fermionic Two-Loop Contributions to muon decay*”
Nucl. Phys. B (Proc. Suppl.) **89** (2000) 82, hep-ph/0007129.
- [33] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,
 “*Do electroweak precision data and Higgs-mass constraints rule out a scalar
 bottom with mass of $\mathcal{O}(5 \text{ GeV})$?*”
Phys. Rev. Lett. **86** (2001) 4463, hep-ph/hep-ph/0008023.
- [34] S. Andringa et al.,
 “*Searches for Higgs bosons: Preliminary combined results using LEP data col-
 lected at energies up to 209 GeV*”
 ALEPH 2000-074 CONF 2000-051.
- [35] M. Carena et al.,
 “*Report of the Higgs Working group*”
 final report of the workshop *Physics at Run II: Workshop on Supersymmetry
 / Higgs at Fermilab* , hep-ph/0010338.
- [36] S. Heinemeyer and G. Weiglein,
 “*Electroweak Precision Tests with GigaZ*”
 appeared in *Proceedings of the 5th International Linear Collider Workshop
 (LCWS2000)*, Fermilab, Oct. 2000, hep-ph/0012364.
- [37] A. Freitas, S. Heinemeyer, W. Hollik, W. Walter and G. Weiglein,
 “*Two-Loop Electroweak Contributions to Δr* ”
 appeared in *Proceedings of the 5th International Symposium on Radiative Cor-
 rections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0101260.

- [38] S. Heinemeyer, W. Hollik, J. Rosiek and G. Weiglein,
“Production of the neutral \mathcal{CP} -even MSSM Higgs bosons at e^+e^- colliders”
Eur. Phys. J. C **19** (2001) 535, hep-ph/hep-ph/0102081.
- [39] J. Erler and S. Heinemeyer,
“GigaZ: High Precision Tests of the SM and the MSSM”
 appeared in *Proceedings of the 5th International Symposium on Radiative Corrections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0102083.
- [40] S. Heinemeyer and G. Weiglein,
“Higgs Production and Decay in the MSSM: Status and Perspectives”
 appeared in *Proceedings of the 5th International Linear Collider Workshop (LCWS2000)*, Fermilab, Oct. 2000, hep-ph/0102117.
- [41] S. Heinemeyer and G. Weiglein,
“Precision Observables in the MSSM: Electroweak Two-loop Corrections”
 appeared in *Proceedings of the 5th International Symposium on Radiative Corrections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0102317.
- [42] S. Heinemeyer,
“Two-Loop Calculations in the MSSM with FeynArts”
 appeared in *Proceedings of the ACAT2000*, Fermilab, Oct. 2000, hep-ph/0102318.
- [43] M. Fischler et al.,
“Summaries of Recent Computer-Assisted Feynman Diagram Calculations”
 appeared in *Proceedings of the ACAT2000*, Fermilab, Oct. 2000.
- [44] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Observability of the lightest CMSSM Higgs boson at Hadron Colliders”
Phys. Lett. B **515** (2001) 348, hep-ph/0105061.
- [45] S. Ambrosanio, A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,
“Implications of the Higgs boson searches on different soft SUSY-breaking scenarios”
Nucl. Phys. B **624** (2002) 3, hep-ph/0106255.
- [46] S. Heinemeyer and G. Weiglein,
“Resonant Production of the lightest MSSM Higgs Boson in $\mu^+\mu^-$ Collisions: Suppression via Loop Corrections?”
 BNL–HET–01/22.
- [47] S. Heinemeyer, W. Hollik and G. Weiglein,
“The Masses of the Neutral \mathcal{CP} -even Higgs Bosons in the MSSM: Two-Loop Calculations in the Feynman-Diagrammatic Approach”
 LC note for the TESLA workshop (LC-TH-2001-063).

- [48] S. Heinemeyer, W. Hollik and G. Weiglein,
“FeynHiggs and FeynHiggsFast: Programs for Higher-Order Calculations in the Neutral CP-even Higgs Boson Sector of the MSSM”
 LC note for the TESLA workshop (LC-TH-2001-065).
- [49] J.A. Aguilar-Saavedra et al.,
“TESLA Technical Design Report Part III: Physics at an $e+e-$ Linear Collider”
 hep-ph/0106315.
- [50] T. Abe et al.,
“Linear Collider Physics Resource Book for Snowmass 2001”
 hep-ex/0106055, hep-ex/0106056, hep-ex/0106057, hep-ex/0106057.
- [51] S. Heinemeyer,
“The Higgs Boson Sector of the Complex MSSM in the Feynman-Diagrammatic approach”
Eur. Phys. J. C **22** (2001) 521, hep-ph/0108059.
- [52] D. Asner, H. Burkhardt, A. De Roeck, J. Ellis, J. Gronberg, S. Heinemeyer, M. Schmitt, D. Schulte, M. Velasco and F. Zimmermann,
“Higgs Physics with a $\gamma\gamma$ Collider Based on CLIC 1”
Eur. Phys. J. C **28** (2003) 27, hep-ex/0111056.
- [53] A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,
“Soft SUSY-breaking scenarios in the Light of Higgs Boson searches at LEP2”
 published in the proceedings of the “Workshop on the Future of High Energy Physics”, Snowmass, USA, July 2001, hep-ph/0110219.
- [54] U. Baur, R. Clare, J. Erler, S. Heinemeyer, D. Wackerroth, G. Weiglein and D. Wood,
“Theoretical and Experimental Status of the indirect Higgs Boson Mass Determination in the Standard Model”
 Contribution to the P1-WG1 report “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0111314.
- [55] J. Erler, S. Heinemeyer, K. Mönig, G. Moortgat-Pick, P. Rowson, E. Torrence, G. Weiglein and G. Wilson,
“Positron Polarization and Low Energy Running at a Linear Collider”
 Contribution to the E3 report “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0112070.
- [56] R. Clare, J. Erler, S. Heinemeyer and D. Wood (convenors),
“Present and Future Electroweak Precision Measurements and the Indirect Determination of the Mass of the Higgs Boson”
 P1-WG1 subgroup report, “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0202001.

- [57] B. Allanach et al.,
“The Snowmass Points and Slopes: Benchmarks for SUSY Searches”
Eur. Phys. J. C **25** (2002) 113, hep-ph/0202233.
- [58] M. Frank, S. Heinemeyer, W. Hollik and G. Weiglein,
“FeynHiggs1.2: Hybrid $\overline{\text{MS}}$ /on-shell Renormalization for the CP-even Higgs Boson Sector in the MSSM”
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2001, hep-ph/0202166.
- [59] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,
“Suggestions for MSSM Benchmark Scenarios for Higgs Boson searches at Hadron Colliders”
Eur. Phys. J. C **26** (2003) 601, hep-ph/0202167.
- [60] A. Dedes, S. Heinemeyer and G. Weiglein,
“FeynSSG v.1.0: Numerical Calculation of the mSUGRA and Higgs spectrum”
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2001.
- [61] C. Blöchinger et al.,
“Physics Opportunities at $\mu^+\mu^-$ Higgs Factories”
 Contribution to the CERN μ -Collider Workshop, hep-ph/0202199.
- [62] S. Dawson and S. Heinemeyer,
“The Higgs Boson Production Cross Section as a Precision Observable?”
Phys. Rev. D **66** (2002) 055002, hep-ph/0203067.
- [63] D. Cavalli et al.,
“The Higgs Working Group: Summary Report”
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 21 May - 1 Jun 2001, hep-ph/0203056.
- [64] G. Azuelos et al.,
“The Beyond the SM Working Group: Summary Report”
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 21 May - 1 Jun 2001, hep-ph/0204031.
- [65] S. Heinemeyer and G. Weiglein,
“Leading Electroweak Two-Loop Corrections to Precision Observables in the MSSM”
JHEP **10** (2002) 072, hep-ph/0209305.
- [66] T. Hahn, S. Heinemeyer and G. Weiglein,
“MSSM Higgs Boson Production at the Linear Collider: Dominant Corrections to the WW Fusion channel”
Nucl. Phys. B **652** (2003) 229, hep-ph/0211204.

- [67] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Precision Analysis of the Lightest MSSM Higgs Boson at Future Colliders”
JHEP **01** (2003) 006, hep-ph/0211206.
- [68] T. Hahn, S. Heinemeyer and G. Weiglein,
“Very Heavy MSSM Higgs Boson production at the Linear Collider”
 appeared in the proceedings of *RADCOR 2002 – Loops & Legs 2002*, Kloster
 Banz, Germany, September 2002, hep-ph/0211384.
- [69] G. Degrassi, S. Heinemeyer, W. Hollik, P. Slavich and G. Weiglein,
“Recent Developments in the Precise Determination of the MSSM Higgs sector”
Eur. Phys. J. C **28** (2003) 133, hep-ph/0212020.
- [70] A. Freitas, S. Heinemeyer and G. Weiglein,
“Two-Loop Results for M_W in the SM and the MSSM”
 appeared in the proceedings of *RADCOR 2002 – Loops & Legs 2002*, Kloster
 Banz, Germany, September 2002, hep-ph/0212068.
- [71] M. Frank, S. Heinemeyer, W. Hollik and G. Weiglein,
*“The Higgs Boson Sector of the Complex MSSM: a Complete One-Loop Anal-
 ysis”*
 appeared in the proceedings of *SUSY02*, DESY Hamburg, Germany, June 2002,
 hep-ph/0212037.
- [72] S. Heinemeyer and G. Weiglein,
“Precision Observables in the MSSM: Status and Perspectives”
 appeared in the proceedings of *SUSY02*, DESY Hamburg, Germany, June 2002,
 hep-ph/0301067.
- [73] A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,
*“The lightest Higgs Boson of $mSUGRA$, $mGMSB$ and $mAMSB$ at Present and
 Future Colliders: Observability and Precision Analyses”*
Nucl. Phys. B **674** (2003) 271, hep-ph/0302174.
- [74] The LEP Higgs working group (incl. S. Heinemeyer),
“Search for the Standard Model Higgs Boson at LEP”
Phys. Lett. B **565** (2003) 61, hep-ex/0306033.
- [75] S. Heinemeyer, S. Kraml, W. Porod and G. Weiglein,
*“Physics Impact of a Precise Determination of the Top Quark Mass at an e^+e^-
 Linear Collider”*
JHEP **0309** (2003) 075, hep-ph/0306181.
- [76] S. Heinemeyer and G. Weiglein,
“The MSSM in the Light of Precision Data”
 appeared in proceedings of the workshop on *Electroweak Precision Data and
 the Higgs Mass*, DESY-Zeuthen, February 2003, hep-ph/0307177.

- [77] D. Asner et al.,
 “Complementary of a Low Energy Photon Collider and LHC Physics”
 contributed to *LeptonPhoton 2003*, Fermilab, August 2003, hep-ph/0308103.
- [78] P. Skands et al.,
 “SUSY Les Houches Accord: Interfacing SUSY Spectrum Calculators, Decay Packages and Event Generators”
JHEP **0407** (2004) 036, hep-ph/0311123.
- [79] S. Heinemeyer, D. Stöckinger and G. Weiglein,
 “Two-Loop SUSY Corrections to the Anomalous Magnetic Moment of the Muon”
Nucl. Phys. B **690** (2004) 62, hep-ph/0312264.
- [80] T. Hahn, S. Heinemeyer, W. Hollik and G. Weiglein,
 “FeynHiggs2.1: High precision calculations in the MSSM Higgs sector”
 appeared in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2003.
- [81] O. Brein, T. Hahn, S. Heinemeyer and G. Weiglein,
 “Single charged MSSM Higgs boson production at the LC”
 appeared in the Proceedings of *SUSY03*, Tucson, June 2003, hep-ph/0402053.
- [82] B. Allanach et al.,
 “The Beyond the SM Working Group: Summary Report”
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 26 May - 6 Jun 2003, hep-ph/0402295.
- [83] S. Heinemeyer, W. Hollik, F. Merz and S. Peñaranda,
 “Electroweak Precision Observables in the MSSM with Non-Minimal Flavor Violation”
Eur. Phys. J. C **37** (2004) 481, hep-ph/0403228.
- [84] K. Ackermann et al.,
 “Extended Joint ECFA/DESY Study on Physics and Detector for a Linear e^+e^- Collider”
 DESY-PROC-2004-01.
- [85] A. Djouadi, S. Heinemeyer, M. Mondragon and G. Zoupanos,
 “Finite Unified Theories and the Higgs Mass Prediction”
 appeared in various proceedings, hep-ph/0404208.
- [86] S. Heinemeyer, D. Stöckinger and G. Weiglein,
 “Electroweak and Supersymmetric Two-Loop Corrections to $(g - 2)_\mu$ ”
Nucl. Phys. B **699** (2004) 103, hep-ph/0405255.
- [87] K. Assamagan et al.,
 “The Higgs Working Group: Summary Report”

- appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, 26 May - 6 Jun 2003, hep-ph/0406152.
- [88] S. Heinemeyer,
“SUSY Precision Physics”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2004*, Zinnowitz, Germany, April 2004, hep-ph/0406245.
- [89] K. Desch, E. Gross, S. Heinemeyer, G. Weiglein and L. Zivkovic,
“LHC/LC Interplay in the MSSM Higgs Sector”
JHEP **09** (2004) 062, hep-ph/0406322.
- [90] M. Dührssen, S. Heinemeyer, H. Logan, D. Rainwater, G. Weiglein and D. Zepfenfeld,
“Extracting Higgs boson couplings from LHC data”
Phys. Rev. D **70** (2004) 113009, hep-ph/0406323.
- [91] M. Dührssen, S. Heinemeyer, H. Logan, D. Rainwater, G. Weiglein and D. Zepfenfeld,
“Determination of Higgs boson couplings at the LHC”
 appeared in the proceedings of the *XXXIXth Rencontres de Moriond*, La Thuile, Italy, March 2004, hep-ph/0407190.
- [92] S. Heinemeyer, D. Stöckinger and G. Weiglein,
“The anomalous magnetic moment of the muon in the MSSM - recent developments”
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0407171.
- [93] S. Heinemeyer,
“MSSM Higgs Physics at Higher Orders”
Int. J. Mod. Phys. A **21** (2006) 2659, hep-ph/0407244.
- [94] S. Heinemeyer,
“Loop Calculations: Summary”
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0408269.
- [95] S. Heinemeyer,
“MSSM Higgs Physics: Theoretical Developments”
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0408340.
- [96] S. Heinemeyer, S. Kraml, W. Porod and G. Weiglein,
“Impact of a Precise Top Quark Measurement”
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0409063.

- [97] S. Heinemeyer, M. Velasco and M. Wood,
“Explicit CP Violation in the Higgs Sector at $\gamma\gamma$ Colliders and other Future Colliders”
CERN-PH-TH/2004-187, nuhep-exp/04-16.
- [98] E.W.N. Glover et al.,
“Top Quark Physics at Colliders”
Acta Phys. Pol. **B 35** (2004) 2671, hep-ph/0410110.
- [99] G. Weiglein, S. Heinemeyer et al.,
“Physics Interplay of the LHC and the ILC”
to appear in Phys. Rep., hep-ph/0410364.
- [100] S. Heinemeyer, G. Weiglein, H. Rzehak and G. Weiglein,
“High Precision Predictions for the MSSM Higgs sector at $\mathcal{O}(\alpha_b\alpha_s)$ ”
Eur. Phys. J. **C 39** (2005) 465, hep-ph/0411114.
- [101] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Indirect Sensitivities to the Scale of Supersymmetry”
JHEP **0502** (2005) 013, hep-ph/0411216.
- [102] S. Heinemeyer, W. Hollik and G. Weiglein,
“SUSY and Electroweak Precision Observables”
Phys. Rept. **425** (2006) 265, hep-ph/0412214.
- [103] CLIC Higgs working group,
“Physics at the CLIC Multi-TeV Linear Collider”
CERN-2004-005, hep-ph/0412251.
- [104] W. Hollik et al.,
“Electroweak Physics”
Acta Phys. Pol. **B 35** (2004) 2533, hep-ph/0501246.
- [105] G. Degrandi et al.,
“SUSY Particle Physics Summary”
Acta Phys. Pol. **B 35** (2004) 2711.
- [106] J. Hastier, S. Heinemeyer, D Stöckinger and G. Weiglein,
“Two-Loop Yukawa Corrections of Supersymmetric Particles”
JHEP **0512** (2005) 027, hep-ph/0508139.
- [107] S. Peñaranda, S. Heinemeyer and W. Hollik,
“ M_W , $\sin^2 \theta_{\text{eff}}$ and m_h in the NMFV MSSM”
appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506104.
- [108] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“The MSSM Higgs Sector at $\mathcal{O}(\alpha_b\alpha_s)$ and Beyond”

- appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506254.
- [109] J. Haestier, S. Heinemeyer, D. Stöckinger and G. Weiglein,
 “*Two-Loop Contributions to Electroweak Precision Observables in the MSSM*”
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506259.
- [110] S. Heinemeyer and M. Velasco,
 “*Exploring Complex Phases of the MSSM at Future Colliders*”
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506267.
- [111] T. Hahn, S. Heinemeyer, W. Hollik and G. Weiglein,
 “*Precision Higgs Masses with FeynHiggs2.2*”
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0507009.
- [112] G. Moortgat-Pick et al.,
 “*The Role of Polarized Positrons and Electrons in Revealing Fundamental Interactions at the Linear Collider*”
Phys. Rept. **460** (2008) 131, hep-ph/0507011.
- [113] S. Heinemeyer and G. Weiglein,
 “*Physics Gain of a Precise m_t Measurement*”
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0508168.
- [114] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
 “*Sensitivities to the SUSY Scale from Electroweak Precision Observables*”
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0508169.
- [115] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,
 “*MSSM Higgs Boson Searches at the Tevatron and the LHC: Impact of Different Benchmark Scenarios*”
Eur. Phys. J. C **45** (2006) 797, hep-ph/0511023.
- [116] S. Heinemeyer et al.,
 “*Toward High Precision Higgs-Boson Measurements at the International Linear e^+e^- Collider*”
 contribution to the *Snowmass’05* workshop, Snowmass, July 2005, hep-ph/0511332.
- [117] J. Aguilar-Saavedra et al.,
 “*Supersymmetry Parameter Analysis: SPA Convention and Project*”
Eur. Phys. J. C **46** (2006) 43, hep-ph/0511344.

- [118] B. Allanach et al.,
“The Beyond the SM Working Group: Summary Report”
 appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, 2 May - 20 May 2005, hep-ph/0602198.
- [119] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Phenomenological Indications of the Scale of Supersymmetry”
JHEP **0605** (2006) 005, hep-ph/0602220.
- [120] The LEP Higgs working group (incl. S. Heinemeyer),
“Search for Neutral MSSM Higgs Bosons at LEP”
Eur. Phys. J. C **47** (2006) 547, hep-ex/0602042.
- [121] S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,
“Precise Prediction for M_W in the MSSM”
JHEP **0608** (2006) 052, hep-ph/0604147.
- [122] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Indications of the CMSSM mass scale from precision electroweak data”
 contribution to the *Snowmass’05* workshop, Snowmass, July 2005, hep-ph/0604180.
- [123] T. Hahn, S. Heinemeyer, F. Maltoni, G. Weiglein and S. Willenbrock,
“SM and MSSM Higgs Boson Production cross sections at the Tevatron and the LHC”
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0607308.
- [124] E. Accomando et al.,
“Summary Report”
 Workshop on *CP studies and non-standard Higgs physics*, hep-ph/0608079.
- [125] V. Büscher et al.,
“Tevatron-for-LHC report: Preparations for discovery”
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0608322.
- [126] J. Haestier, S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,
“Precision observables in the MSSM: W mass and the muon magnetic moment”
 appeared in the proceedings of *SUSY’06*, Irvine (CA) USA, June 2006, hep-ph/0610318.
- [127] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“Two-loop calculations in the MSSM with complex parameters”
Nucl. Phys. B (Proc. Suppl.) **160** (2006) 106.

- [128] M. Frank, T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“The Higgs Boson Masses and Mixings of the Complex MSSM in the Feynman-Diagrammatic Approach”
JHEP **0702** (2007) 047, hep-ph/0611326.
- [129] S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,
“Testing the MSSM with the mass of the W boson”
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,
 hep-ph/0611371.
- [130] S. Heinemeyer,
“Electroweak precision data and gravitino dark matter”
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,
 hep-ph/0611372.
- [131] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, G. Weiglein and K. Williams,
“Higher-order corrected Higgs bosons in FeynHiggs 2.5”
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,
 hep-ph/0611373.
- [132] S. Heinemeyer,
“The road towards the ILC: Higgs, top/QCD, loops”
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,
 hep-ph/0611374.
- [133] U. Aglietti et al.,
“Tevatron-for-LHC report: Higgs”
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0612172.
- [134] S. Gennai, S. Heinemeyer, A. Kalinowski, R. Kinnunen, S. Lethi, A. Nikitenko
 and G. Weiglein,
“Search for Heavy Neutral MSSM Higgs Bosons with CMS: Reach and Higgs-Mass Precision”
Eur. Phys. J. C **52** (2007) 383 [arXiv:0704.0619 [hep-ph]].
- [135] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“The Higgs sector of the complex MSSM at two-loop order: QCD contributions”
Phys. Lett. B **652** (2007) 300 [arXiv:0705.0746 [hep-ph]].
- [136] S. Heinemeyer, Y. Kahn, M. Schmitt and M. Velasco,
“An Experiment to Search for Light Dark Matter in Low-Energy ep Scattering”
 submitted to *Phys. Rev. D*, arXiv:0705.4056 [hep-ex].
- [137] J. Ellis, S. Heinemeyer, K. Olive, A.M. Weber and G. Weiglein,
“The Supersymmetric Parameter Space in the Light of B-physics Observables and Electroweak Precision Data”
JHEP **0708** (2007) 083 [arXiv:0706.0652 [hep-ph]].

- [138] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,
“Light Heavy MSSM Higgs Bosons at Large $\tan\beta$ ”
Phys. Lett. B **653** (2007) 292 [arXiv:0706.0977 [hep-ph]].
- [139] K. Dreiner, S. Heinemeyer, O. Kittel, U. Langfeld, A.M. Weber and G. Weiglein,
“How light can the lightest Neutralino be?”
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0707.1425 [hep-ph].
- [140] O. Buchmüller, S. Heinemeyer et al.,
“Prediction for the Lightest Higgs Boson Mass in the CMSSM using Indirect Experimental Constraints”
Phys. Lett. B **657** (2007) 87 [arXiv:0707.3447 [hep-ph]].
- [141] S. Heinemeyer, V.A. Khoze, M. Ryskin, W. Stirling, M. Trasevsky and G. Weiglein,
“Studying the MSSM Higgs sector by forward proton tagging at the LHC”
Eur. Phys. J. C **53** (2008) 231 [arXiv:0708.3052 [hep-ph]].
- [142] J. Ellis, T. Hahn, S. Heinemeyer, K. Olive and G. Weiglein,
“WMAP-Compliant Benchmark Surfaces for MSSM Higgs Bosons”
JHEP **0710** (2007) 092 [arXiv:0709.0098 [hep-ph]].
- [143] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“Consistent Treatment of Imaginary Contributions to Higgs-Boson Masses in the MSSM”
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0709.1907 [hep-ph].
- [144] S. Heinemeyer,
“Interplay of Electroweak Precision Observables and B Physics Observables”
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0709.1908 [hep-ph].
- [145] S. Heinemeyer, M. Mondragon and G. Zoupanos,
“Finite Unified Theories confronted with low-energy phenomenology”
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007, arXiv:0710.2257 [hep-ph].
- [146] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,
“Z Pole Observables in the MSSM”
JHEP **0804** (2008) 039 [arXiv:0710.2972 [hep-ph]].
- [147] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,
“MSSM precision physics at the Z resonance”
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007, arXiv:0710.2982 [hep-ph].

- [148] S. Heinemeyer,
“Higgs-Boson Benchmarks in Agreement with CDM, EWPO and BPO”
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,
 arXiv:0710.3014 [hep-ph].
- [149] S. Heinemeyer,
“Electroweak Precision Physics from Low to High Energies”
 appeared in the proceedings of *Lepton Photon 07*, Daegu, Korea, August 2007,
 arXiv:0710.3022 [hep-ph].
- [150] S. Heinemeyer, A. Nikitenko and G. Weiglein,
“Heavy MSSM Higgs Bosons at CMS: “LHC wedge” and Higgs-Mass Precision”
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,
 arXiv:0710.3109 [hep-ph].
- [151] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“Higgs Masses and More in the Complex MSSM with FeynHiggs”
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,
 arXiv:0710.4891 [hep-ph].
- [152] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,
“High-Precision Tests of the MSSM with GigaZ”
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May
 2007, arXiv:0711.0456 [hep-ph].
- [153] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, G. Weiglein and K. Williams,
“CP-violating Loop Effects in the Higgs Sector of the MSSM”
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May
 2007, arXiv:0711.2020 [hep-ph].
- [154] S. Heinemeyer, M. Mondragon and G. Zoupanos,
“Confronting Finite Unified Theories with Low-Energy Phenomenology”
JHEP **0807** (2008) 135 [arXiv:0712.3630 [hep-ph]].
- [155] B. Allanach, S. Heinemeyer et al.,
“SUSY Les Houches Accord 2”
Comp. Phys. Comm. **180** (2009) 8 [arXiv:0801.0045 [hep-ph]].
- [156] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“The Higgs Sector in the CP-violating MSSM at $\mathcal{O}(\alpha_t\alpha_s)$ ”
 appeared in the proceedings of the *RadCor 07*, Florence, Italy, October 2007.
- [157] F. del Aguila et al.,
“Collider aspects of flavour physics at high Q ”
Eur. Phys. J. C **57** (2008) 183 [arXiv:0801.1800 [hep-ph]].
- [158] M. Artuso et al.,
“B, D and K decays”
Eur. Phys. J. C **57** (2008) 309 [arXiv:0801.1833 [hep-ph]].

- [159] S. Heinemeyer, V.A. Khoze, M. Ryskin, W. Stirling, M. Trasevsky and G. Weiglein,
“Central Exclusive Diffractive MSSM Higgs-Boson Production at the LHC”
 appeared in the proceedings of the *EPS-HEP 07*, Manchester, UK, July 2007, arXiv:0801.1974 [hep-ph].
- [160] S. Dawson et al.,
“Higgs Working Group Summary Report”
 appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, June 2007, arXiv:0803.1154 [hep-ph].
- [161] M. Hashemi, S. Heinemeyer, R. Kinnunen, A. Nikitenko and G. Weiglein,
“Charged Higgs Bosons in the MSSM at CMS: Discovery reach and Parameter dependence”
 arXiv:0804.1228 [hep-ph].
- [162] S. Heinemeyer, X. Miao, S. Su and G. Weiglein,
“B-Physics Observables and Electroweak Precision Data in the CMSSM, mGMSB and mAMSB”
JHEP **0808** (2008) 087 [arXiv:0805.2359 [hep-ph]].
- [163] M. Albrow et al.,
“The FP420 R&D Project: Higgs and New Physics with forward protons at the LHC”
JINST **4** (2009) T10001 [arXiv:0806.0302 [hep-ex]].
- [164] S. Heinemeyer,
“Higgs Physics at the LHC: Some Theory Aspects”
 appeared in the proceedings *Spanish Winter Meeting 2008*, Baeza, February 2008, arXiv:0807.2514 [hep-ph].
- [165] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“Two-Loop Corrections to the Charged Higgs-Boson Mass in the MSSM”
Nucl. Phys. B (Proc. Suppl.) **183** (2008) 86.
- [166] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“FeynHiggs and More”
Nucl. Phys. B (Proc. Suppl.) **183** (2008) 202.
- [167] O. Buchmüller, S. Heinemeyer et al.,
“Predictions for Supersymmetric Particle Masses using Indirect Experimental and Cosmological Constraint”
JHEP **0808** (2008) 087 [arXiv:0808.4128 [hep-ph]].
- [168] S. Heinemeyer,
“How to determine SUSY mass scales now”
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008, arXiv:0809.2395 [hep-ph].

- [169] S. Heinemeyer, A. Nikitenko and G. Weiglein,
“Discovery Reach of Charged MSSM Higgs Bosons at CMS”
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008,
 arXiv:0809.2396 [hep-ph].
- [170] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Selecting Finite Unified Theories with Current Data”
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008,
 arXiv:0809.2397 [hep-ph].
- [171] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finiteness and the Higgs mass prediction”
 appeared in the proceedings of *XIII International Conference on Selected Problems of Modern Theoretical Physics SPMTF 08*, Dubna, Russia, June 2008,
 arXiv:0810.0727 [hep-ph].
- [172] D.G. Hitlin et al.,
“New Physics at the Super Flavor Factory”
 Proceedings of SuperB Workshop VI, Valencia, January 2009, arXiv:0810.1312
 [hep-ph].
- [173] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,
“HiggsBounds: Confronting Arbitrary Higgs Sectors with Exclusion Bounds from LEP and the Tevatron”
Comp. Phys. Comm. **181** (2010) 138 [arXiv:0811.4169 [hep-ph]].
- [174] S. Heinemeyer, V.A. Khoze, M.G. Ryskin, M. Tasevsky and G. Weiglein,
“Central Exclusive Production of BSM Higgs bosons at the LHC”
 appeared in the proceedings of *ISMD08*, Hamburg, Germany, September 2008,
 arXiv:0811.4571 [hep-ph].
- [175] S. Heinemeyer, A. Nikitenko and G. Weiglein,
“Charged MSSM Higgs Bosons at CMS: Reach and Parameter Dependence”
 appeared in the proceedings of *cHarged 2008*, Uppsala, Sweden, September 2008,
 arXiv:0812.0524 [hep-ph].
- [176] S. Heinemeyer,
“Tools for Charged Higgs Bosons”
 appeared in the proceedings of *cHarged 2008*, Uppsala, Sweden, September 2008,
 arXiv:0812.0524 [hep-ph].
- [177] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“FeynHiggs: A Program for the Calculation of MSSM Higgs-Boson Observables, Version 2.6.5”
Comp. Phys. Comm. **180** (2009) 1486.
- [178] H. Dreiner, S. Heinemeyer, O. Kittel, U. Langenfeld and G. Weiglein,
“Mass Bounds on a Very Light Neutralino”
Eur. Phys. J. C **62** (2009) 547 [arXiv:0901.3485 [hep-ph]].

- [179] J. Bartels et al.,
“Proceedings of the 38th International Symposium on Multiparticle Dynamics (ISMD08)”
 appeared in the proceedings of the *38th International Symposium on Multiparticle Dynamics ISMD08*, DESY, Hamburg, Germany, September 2008, arXiv:0902.0377 [hep-ph].
- [180] J. Fuster, S. Heinemeyer, C. Lacasta, C. Marinas, A. Ruiz-Jimeno and M. Vos,
“Forward tracking at the next e^+e^- collider part I: the physics case”
JINST **4** (2009) P08002 [arXiv:0905.2038 [hep-ex]].
- [181] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,
“HiggsBounds: Confronting arbitrary Higgs sectors with exclusion bounds from LEP and Tevatron”
 appeared in the proceedings of *Rencontres de Moriond - QCD and High Energy Interactions 2009*, Moriond, France, March 2009, arXiv:0905.2190 [hep-ph].
- [182] S. Heinemeyer,
“Indirect Limits on Higgs and SUSY Masses”
 appeared in the proceedings of *DIS09*, Madrid, Spain, April 2009, arXiv:0906.4677 [hep-ph].
- [183] O. Buchmüller, S. Heinemeyer et al.,
“Likelihood Functions for Supersymmetric Observables in Frequentist Analyses of the CMSSM and NUHM1”
Eur. Phys. J. C **64** (2009) 391 [arXiv:0907.5568 [hep-ph]].
- [184] A. De Roeck, J. Ellis, C. Grojean, S. Heinemeyer, K. Jakobs, G. Weiglein and J. Wells (editors),
“From the LHC to Future Colliders”
Eur. Phys. J. C **66** (2010) 525 [arXiv:0909.3240 [hep-ph]].
- [185] S. Heinemeyer,
“SUSY Predictions for the LHC”
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009, arXiv:0909.4662 [hep-ph].
- [186] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,
“New HiggsBounds from LEP and the Tevatron”
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009, arXiv:0909.4664 [hep-ph].
- [187] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,
“BSM Higgs Studies at the LHC in the Forward Proton Mode”
 appeared in the proceedings of *EDS09 (Blois workshop)* CERN, June 2009, arXiv:0909.4665 [hep-ph].

- [188] S. Heinemeyer, E. Ma, M. Mondragón and G. Zoupanos,
“Finite $SU(3)^3$ models”
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009,
 arXiv:0910.0501 [hep-ph].
- [189] S. Heinemeyer,
“Higgs and Electroweak Physics”
 Lecture given at SUSSP65, St. Andrews, UK, August 2009, arXiv:0912.0361
 [hep-ph].
- [190] O. Buchmüller, S. Heinemeyer et al.,
“Prediction for m_t and M_W in Minimal Supersymmetric Models”
Phys. Rev. D **81** (2010) 035009 [arXiv:0912.1036 [hep-ph]].
- [191] S. Heinemeyer, E. Ma, M. Mondragón and G. Zoupanos,
“Finite Unification: Theory and Predictions”
SIGMA **6** (2010) 049 [arXiv:1001.0428 [hep-ph]]
- [192] P. Nath et al.,
“The Hunt for New Physics at the LHC”
 Summary document for international workshop *Beyond the Standard
 Model at the LHC* (Pre-SUSY09), Northeastern University, Boston, USA,
 arXiv:1001.2693 [hep-ph].
- [193] M. Deile, S. Heinemeyer et al.,
“Moving Forward into the LHC Era”
 Summary document for the *13th International Conference on Elastic and
 Diffractive Scattering (Blois Workshop)*, arXiv:1002.3527 [hep-ph].
- [194] J. Butterworth, S. Heinemeyer et al.,
“Tools and Monte Carlo”
 Les Houches 2009 Summary Report, arXiv:1003.1643 [hep-ph].
- [195] S. Heinemeyer and G. Weiglein,
“Predicting Supersymmetry”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2010*,
 Wörlitz, Germany, April 2010, arXiv:1007.0206 [hep-ph].
- [196] S. Heinemeyer, H. Rzehak and C. Schappacher,
“Proposals for Bottom Quark/Squark Renormalization in the Complex MSSM”
Phys. Rev. D **82** (2010) 075010 [arXiv:1007.0689 [hep-ph]].
- [197] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“FeynHiggs 2.7”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2010*,
 Wörlitz, Germany, April 2010, arXiv:1007.0956 [hep-ph].

- [198] S. Heinemeyer and G. Weiglein,
“Top, GigaZ, MegaW”
 appeared in the proceedings of *LCWS/ILC 2010*, Beijing, China, March 2010,
 arXiv:1007.5232 [hep-ph].
- [199] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,
“Higgs Boson Masses in the MSSM with Heavy Majorana Neutrinos”
JHEP **1105** (2011) 063 [arXiv:1007.5512 [hep-ph]].
- [200] S. Heinemeyer, F. Mahmoudi et al.,
“Flavour Les Houches Accord: Interfacing Flavour related Codes”
Comp. Phys. Comm. **183** (2012) 285 [arXiv:1008.0762 [hep-ph]].
- [201] B. O’Leary, S. Heinemeyer et al.,
“SuperB Progress Report – Physics”
 Progress report of the future SuperB factory, arXiv:1008.1541 [hep-ph].
- [202] S. Heinemeyer,
“Discovering SUSY in the First LHC Run”
 appeared in the proceedings of *Physics at the LHC*, DESY Hamburg, Germany,
 May 2010, arXiv:1009.2678 [hep-ph].
- [203] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,
“BSM Higgs Physics at the LHC in the Forward Proton Mode”
 appeared in the proceedings of *Physics at the LHC*, DESY Hamburg, Germany,
 May 2010, arXiv:1009.2680 [hep-ph].
- [204] M. Carena, P. Draper, S. Heinemeyer, T. Liu, C. Wagner and G. Weiglein,
*“Probing the Higgs Sector of High-Scale SUSY-Breaking Models at the Teva-
 tron”*
Phys. Rev. D **80** (2011) 055007 [arXiv:1011.5304 [hep-ph]].
- [205] O. Buchmüller, S. Heinemeyer et al.,
“Frequentist Analysis of the Parameter Space of Minimal Supergravity”
Eur. Phys. J. C **71** (2011) 1583 [arXiv:1011.6118 [hep-ph]].
- [206] S. Heinemeyer, H. Rzehak and C. Schappacher,
“Consistent Higher-Order Corrections to $\tilde{t}_i \rightarrow \tilde{b}_j H^+$ in the Complex MSSM”
 appeared in the proceedings of *cHarged 2010*, Uppsala, Sweden, September
 2010, arXiv:1012.4572 [hep-ph].
- [207] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,
“BSM Higgs Physics in the Exclusive Forward Proton Mode at the LHC”
Eur. Phys. J. C **71** (2011) 1649 [arXiv:1012.5007 [hep-ph]].
- [208] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,
“Introducing HiggsBounds 2.0.0”
 appeared in the proceedings of *cHarged 2010*, Uppsala, Sweden, September
 2010, arXiv:1012.5170 [hep-ph].

- [209] S. Dittmaier, S. Heinemeyer et al.,
“Handbook of LHC Higgs Cross Sections: 1. Inclusive Observables”
Yellow Report CERN–2011–002 [arXiv:1101.0593 [hep-ph]]
- [210] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finite Unification: Theory, Models and Predictions”
 appeared in the proceedings of “7th Spring School and Workshop on QFT and Hamiltonian Systems”, Craiova & Calimaensti-Caciulata, May 2010, arXiv:1101.2476 [hep-ph].
- [211] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,
“HiggsBounds 2.0.0: Confronting Neutral and Charged Higgs Sector Predictions with Exclusion Bounds from LEP and the Tevatron”
Comp. Phys. Comm. **182** (2011) 2605 [arXiv:1101.1898 [hep-ph]].
- [212] O. Buchmüller, S. Heinemeyer et al.,
“Implications of Initial LHC Searches for Supersymmetry”
Eur. Phys. J. C **71** (2011) 1634 [arXiv:1102.4585 [hep-ph]].
- [213] S. Heinemeyer,
“SUSY Predictions for and from the LHC”
 appeared in the proceedings of “Workshop on Discovery Physics at the LHC -Kruger 2010”, December 2010, Kruger National Park, Mpumalanga, South Africa, arXiv:1103.0952 [hep-ph].
- [214] O. Buchmüller, S. Heinemeyer et al.,
“Supersymmetry and Dark Matter in Light of LHC 2010 and Xenon100 Data”
Eur. Phys. J. C **71** (2011) 1722 [arXiv:1106.2529 [hep-ph]].
- [215] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,
“Exclusive production of the BSM Higgs bosons at the LHC”
 appeared in the proceedings of “DIS 2011”, April 2011, Newport News, Virginia, USA, arXiv:1106.3450 [hep-ph].
- [216] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,
“ M_h in MSSM with Heavy Majorana Neutrinos”
 appeared in the proceedings of “Moriond/EW 2011”, Moriond, France, April 2011, arXiv:1107.0241 [hep-ph].
- [217] A. Denner, S. Heinemeyer, I. Puljak, D. Rebuszi and M. Spira,
“Standard Model Higgs-Boson Branching Ratios with Uncertainties”
Eur. Phys. J. C **71** (2011) 1753 [arXiv:1107.5909 [hep-ph]].
- [218] M. Mangano, S. Heinemeyer et al.,
“Benchmark Models, Planes, Lines and Points for Future SUSY Searches at the LHC”
Eur. Phys. J. C **71** (2011) 1835 [arXiv:1109.3859 [hep-ph]].

- [219] M. Arana, S. Heinemeyer, M. Herrero and S. Peñaranda,
“Higgs Boson masses and B-Physics Constraints in Non-Minimal Flavor Violating SUSY scenarios”
JHEP **1205** (2012) 015 [arXiv:1109.6232 [hep-ph]].
- [220] O. Buchmüller, S. Heinemeyer et al.,
“Supersymmetry in Light of 1/fb of LHC Data”
Eur. Phys. J. C **72** (2012) 1878 [arXiv:1110.3568 [hep-ph]].
- [221] T. Fritzsche, S. Heinemeyer, H. Rzehak and C. Schappacher,
“Heavy Scalar Top Quark Decays in the Complex MSSM: A Full One-Loop Analysis”
Phys. Rev. D **86** (2012) 035014 [arXiv:1111.7289 [hep-ph]].
- [222] S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,
“Chargino Decays in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **72** (2012) 1892 [arXiv:1112.0760 [hep-ph]].
- [223] S. Heinemeyer and C. Schappacher,
“Gluino Decays in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **72** (2012) 1905 [arXiv:1112.2830 [hep-ph]].
- [224] S. Heinemeyer, O. Stal and G. Weiglein,
“Interpreting the LHC Higgs Search Results in the MSSM”
Phys. Lett. B **710** (2012) 201 [arXiv:1112.3026 [hep-ph]].
- [225] O. Buchmüller, S. Heinemeyer et al.,
“Higgs and Supersymmetry”
Eur. Phys. J. C **72** (2012) 2020 [arXiv:1112.3564 [hep-ph]].
- [226] S. Dittmaier, S. Heinemeyer et al.,
“Handbook of LHC Higgs Cross Sections: 2. Differential Distributions”
Yellow Report CERN–2012–002 [arXiv:1201.3084 [hep-ph]]
- [227] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,
“Heavy Majorana Neutrino Effects on MSSM- M_h ”
 appeared in the proceedings of “RADCOR 2011”, Mamallapuram, India, September 2011, arXiv:1201.4770 [hep-ph].
- [228] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finite Unified Theories and the Higgs-Boson”
 appeared in the proceedings of “JW2011” workshop, Donji Milanovac, Serbia, August 2011, arXiv:1201.5171 [hep-ph].
- [229] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,
“ M_h in the MSSM-seesaw scenario with ILC precision”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6157 [hep-ph].

- [230] S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,
“MSSM Higgs Bosons from Stop and Chargino Decays”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6305 [hep-ph].
- [231] M. Arana, S. Heinemeyer, M. Herrero and S. Peñaranda,
“The Higgs Sector of the NMFV MSSM at the ILC”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6345 [hep-ph].
- [232] S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,
“Neutralinos from Chargino Decays in the Complex MSSM”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.0488 [hep-ph].
- [233] S. Heinemeyer,
“Implications of SUSY Searches at the LHC for the ILC”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.1991 [hep-ph].
- [234] S. Heinemeyer,
“Progress for Higgs Bosons Physics at the LC”
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.5152 [hep-ph].
- [235] G. Brooijmans, S. Heinemeyer et al.,
“Physics at TeV Colliders New Physics Working Group Report”
 Les Houches 2011 Summary Report, arXiv:1203.1488 [hep-ph].
- [236] S. Kraml, S. Heinemeyer et al.,
“Searches for New Physics: Les Houches Recommendations for the Presentation of LHC Results”
Eur. Phys. J. C **72** (2012) 1976 [arXiv:1203.2489 [hep-ph]].
- [237] S. Heinemeyer and C. Schappacher,
“Heavy Scalar Tau Decays in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **72** (2012) 2136 [arXiv:1204.4001 [hep-ph]].
- [238] S. Heinemeyer, V.A. Khoze, M. Tasevsky and G. Weiglein,
“Exclusive production of the MSSM Higgs bosons at the LHC”
 appeared in the proceedings of “DIS 2012”, Bonn, Germany, March 2012, arXiv:1206.0183 [hep-ph].
- [239] R. Benbrik, M. Gomez Bock, S. Heinemeyer, O. Stål, G. Weiglein and L. Zeune,
“Confronting the MSSM and the NMSSM with the Discovery of a Signal in the two Photon Channel at the LHC”
Eur. Phys. J. C **72** (2012) 2171 [arXiv:1207.1096 [hep-ph]].

- [240] O. Buchmüller, S. Heinemeyer et al.,
“The CMSSM and NUHM1 in the Light of 7 TeV LHC, $B_s \rightarrow \mu\mu$ and Xenon100 Data”
Eur. Phys. J. C **72** (2012) 2243 [arXiv:1207.7315 [hep-ph]].
- [241] A. Bharucha, S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,
“Neutralino Decays in the Complex MSSM at One-Loop: a Comparison of On-Shell Renormalization Schemes”
Phys. Rev. D **86** (2012) 075023 [arXiv:1208.4106 [hep-ph]].
- [242] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and L. Zeune,
“MSSM Interpretations of the LHC Discovery: Light or Heavy Higgs?”
Eur. Phys. J. C **73** (2013) 2354 [arXiv:1211.1955 [hep-ph]].
- [243] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finite Theories after the discovery of a Higgs-like boson at the LHC”
Phys. Lett. B **718** (2013) 1430 [arXiv:1211.3765 [hep-ph]].
- [244] I. Campos, E. Fernandez del Castillo, S. Heinemeyer, A. Lopez-Garcia and F. v.d. Pahlen,
“Phenomenology Tools on Cloud Infrastructures using OpenStack”
Eur. Phys. J. C **73** (2013) 2375 [arXiv:1212.4784 [cs.DC]].
- [245] P. Bechtle, O. Brein, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and K. Williams,
“Recent Developments in HiggsBounds and a Preview of HiggsSignals ”
 appeared in the proceedings of *cHarged 2012*, Uppsala, Sweden, September 2012, arXiv:1301.2345 [hep-ph].
- [246] The LEP Higgs working group (incl. S. Heinemeyer),
“Search for Charged Higgs bosons: Combined Results Using LEP Data”
Eur. Phys. J. C **73** (2013) 2463 [arXiv:1301.6065 [hep-ph]].
- [247] S. Heinemeyer,
“Higgs/Electroweak in the SM and the MSSM”
 Lecture given at SUSSP69, St. Andrews, UK, August 2012, arXiv:1301.7197 [hep-ph].
- [248] M. Carena, S. Heinemeyer, O. Stål, C. Wagner and G. Weiglein,
“MSSM Higgs Boson Searches at the LHC: Benchmark Scenarios after the Discovery of a Higgs-like Particle”
Eur. Phys. J. C **73** (2013) 2552 [arXiv:1302.7033 [hep-ph]].
- [249] S. Heinemeyer,
“Towards fully automated (N)MSSM calculations”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2012*, Wernigerode, Germany, April 2012

- [250] M. Arana, S. Heinemeyer and M. Herrero,
“New Constraints on General Slepton Flavor Mixing”
Phys. Rev. D **88** (2013) 015026 [arXiv:1304.2783 [hep-ph]].
- [251] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finite unified theories and their predictions”
Phys. Part. Nucl. **44** (2013) 299.
- [252] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,
“HiggsSignals: Confronting arbitrary Higgs sectors with measurements at the Tevatron and the LHC”
Eur. Phys. J. C **74** (2014) 2711 [arXiv:1305.1933 [hep-ph]].
- [253] S. Heinemeyer, M. Mondragón and G. Zoupanos,
“Finite Theories Before and After the Discovery of a Higgs Boson at the LHC”
Fortsch. Phys. **61** (2013) 11, 969. 1305.5073
- [254] J.A. Aguilar-Saavedra, R. Benbrik, S. Heinemeyer and M. Perez-Victoria,
“A handbook of vector-like quarks: mixing and single production”
Phys. Rev. D **88** (2013) 9, 094010 [arXiv:1306.0572 [hep-ph]].
- [255] M. Frank, L. Galeta, T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“The Charged Higgs Boson Mass of the MSSM in the Feynman-Diagrammatic Approach”
Phys. Rev. D **88** (2013) 055013 [arXiv:1306.1156 [hep-ph]].
- [256] S. Heinemeyer,
“Status Review of Theory Predictions for Charged Higgs Cross Sections and Branching Ratios”
 appeared in the proceedings of *cHarged 2012*, Uppsala, Sweden, September 2012
- [257] S. Heinemeyer et al.,
“Handbook of LHC Higgs Cross Sections: 3. Higgs Properties”
Yellow Report CERN, arXiv:1307.1347 [hep-ph].
- [258] A. Freitas, K. Hagiwara, S. Heinemeyer, P. Langacker, K. Moenig, M. Tanabashi and G. Wilson,
“Exploring Quantum Physics at the ILC”
 Snowmass White Paper, arXiv:1307.3962 [hep-ph].
- [259] A. Bharucha, S. Heinemeyer and F. v.d. Pahlen,
“Direct Chargino-Neutralino Production at the LHC: Interpreting the Exclusion Limits in the Complex MSSM”
Eur. Phys. J. C **73** (2013) 2629 [arXiv:1307.4237 [hep-ph]].

- [260] T. Fritzsche, T. Hahn, S. Heinemeyer, H. Rzehak and C. Schappacher,
“The Implementation of the Renormalized Complex MSSM in FeynArts and FormCalc”
Comp. Phys. Comm. **185** (2014) 1529 [arXiv:1309.1692 [hep-ph]].
- [261] M. Baak, S. Heinemeyer et al.,
“Study of Electroweak Interactions at the Energy Frontier”
 Snowmass report: Electroweak working group, arXiv:1310.6708 [hep-ph].
- [262] S. Dawson, S. Heinemeyer et al.,
“Higgs Working Group Report of the Snowmass 2013 Community Planning Study”
 Snowmass report: Higgs working group, arXiv:1310.8361 [hep-ph].
- [263] P. Bechtle, O. Brein, S. Heinemeyer, T. Stefaniak, O. Stål, G. Weiglein and K. Williams,
“HiggsBounds-4: Improved Tests of Extended Higgs Sectors against Exclusion Bounds from LEP, the Tevatron and the LHC”
Eur. Phys. J. C **74** (2014) 2693 [arXiv:1311.0055 [hep-ph]].
- [264] S. Heinemeyer, W. Hollik, G. Weiglein and L. Zeune,
“Implications of LHC search results on the W boson mass prediction in the MSSM”
JHEP **1312** (2013) 084 [arXiv:1311.1663 [hep-ph]].
- [265] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“High-precision predictions for the light CP-even Higgs Boson Mass of the MSSM”
Phys. Rev. Lett. **112** (2014) 141801 [arXiv:1312.4937 [hep-ph]].
- [266] O. Buchmüller, S. Heinemeyer et al.,
“Implications of Improved Higgs Mass Calculations for Supersymmetric Models ”
Eur. Phys. J. C **74** (2014) 2809 [arXiv:1312.5233 [hep-ph]].
- [267] O. Buchmüller, S. Heinemeyer et al.,
“The CMSSM and NUHM1 after LHC Run 1”
Eur. Phys. J. C **74** (2014) 2922 [arXiv:1312.5250 [hep-ph]].
- [268] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,
“Probing the Standard Model with Higgs signal rates from the Tevatron, the LHC and a future ILC”
JHEP **1411** (2014) 039 [arXiv:1403.1582 [hep-ph]].
- [269] S. Heinemeyer, M. Mondragon, N. Tracas and G. Zoupanos,
“Reduction of Couplings in Quantum Field Theories with applications in Finite Theories and the MSSM”
 appeared in the proceedings of *10th International Workshop on Lie Theory*

- and Its Applications in Physics*, June 2013, Varna, Bulgaria, arXiv:1403.7384 [hep-ph].
- [270] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
 “*Prediction of the light CP-even Higgs-Boson Mass of the MSSM: Towards the ILC Precision*”
 appeared in the proceedings of *LCWS13*, November 2013, Tokyo, Japan, arXiv:1404.0186 [hep-ph].
- [271] A. Bharucha, S. Heinemeyer and F. v.d. Pahlen,
 “*Does the LHC exclude SUSY Particles at the ILC?*”
 appeared in the proceedings of *LCWS13*, November 2013, Tokyo, Japan, arXiv:1404.0365 [hep-ph].
- [272] S. Heinemeyer, M. Mondragon and G. Zoupanos,
 “*Finite Theories predictions vs. the Discovery of a Higgs-like Boson at the LHC*”
 appeared in the proceedings of *1st International Conference on New Frontiers in Physics*, June 2012, Crete, Greece
- [273] S. Borowka, T. Hahn, S. Heinemeyer, G. Heinrich and W. Hollik,
 “*Momentum-dependent two-loop QCD corrections to the neutral Higgs-boson masses in the MSSM*”
Eur. Phys. J. C **74** (2014) 8, 2994 [arXiv:1404.7074 [hep-ph]].
- [274] S. Heinemeyer,
 “*Higgs Physics*”
 lecture given at the *42. ITEP Winter school*, February 2014, Moscow, Russia, arXiv:1405.3781 [hep-ph].
- [275] M. Arana-Catania, S. Heinemeyer and M. Herrero,
 “*Updated Constraints on General Squark Flavor Mixing*”
Phys. Rev. D **90** (2014) 075003 [arXiv:1405.6960 [hep-ph]].
- [276] T. Hahn, S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,
 “*Fully Automated Calculations in the complex MSSM*”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0231 [hep-ph].
- [277] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
 “*Higher-Order Contributions in Higgs Sectors of Supersymmetric Models*”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0232 [hep-ph].
- [278] C. Groß, T. Hahn, S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,
 “*New Developments in FormCalc 8.4*”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0235 [hep-ph].

- [279] S. Heinemeyer, J. Hernandez-Garcia, M. Herrero, X. Marcano and A. Rodriguez-Sanchez,
“Radiative corrections to M_h from three generations of Majorana neutrinos and sneutrinos”
Adv. High Energy Phys. **2015** (2015) 152394 [arXiv:1407.1083 [hep-ph]]
- [280] S. Heinemeyer, M. Mondragon and G. Zoupanos,
“The LHC Higgs boson discovery: Implications for Finite Unified Theories”
Int. J. Mod. Phys. A **29** (2014) 18, 1430032 [arXiv:1412.5766 [hep-ph]].
- [281] M. Gómez, T. Hahn, S. Heinemeyer and M. Rehman,
“Higgs masses and Electroweak Precision Observables in the Lepton-Flavor-Violating MSSM”
Phys. Rev. D **90** (2014) 074016 [arXiv:1408.0663 [hep-ph]].
- [282] O. Buchmüller, S. Heinemeyer et al.,
“The NUHM2 after LHC Run 1”
Eur. Phys. J. C **74** (2014) 12, 3212 [arXiv:1408.4060 [hep-ph]].
- [283] S. Heinemeyer and C. Schappacher,
“Heavy Higgs Decays into Sfermions in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **75** (2015) 5, 198 [arXiv:1410.2787 [hep-ph]].
- [284] S. Heinemeyer,
“Charged Higgs Bosons in the LHCHSWG”
 1411.6526, arXiv:appeared in the proceedings of *cHarged 2014*, Uppsala, Sweden, September 2014 [hep-ph].
- [285] S. Heinemeyer, J. Kubo, M. Mondragón, O Piguet, K. Sibold, W. Zimmermann and G. Zoupanos,
“Reduction of couplings and its application in particle physics, Finite theories, Higgs and top mass predictions”
 1411.7155, arXiv: [hep-ph].
- [286] S. Heinemeyer, M. Mondragón, N. Tracas and G. Zoupanos,
“Reduction of couplings in a finite GUT and the MSSM”
Phys. Part. Nucl. Lett. **11** (2014) 7, 910.
- [287] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,
“High Precision Prediction for M_h in the MSSM”
 appeared in the proceedings of “ICHEP 2014”, Valencia, Spain, July 2014
- [288] M. Gómez, S. Heinemeyer and M. Rehman,
“Effects of Sfermion Mixing induced by RGE Running in the Minimal Flavor Violating CMSSM”
Eur. Phys. J. C **75** (2015) 9, 434 [arXiv:1501.02258 [hep-ph]].

- [289] S. Heinemeyer and C. Schappacher,
“Higgs Decays into Charginos and Neutralinos in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **75** (2015) 5, 230 [arXiv:1503.02996 [hep-ph]].
- [290] G. Moortgat-Pick, S. Heinemeyer et al.,
“Physics at the e^+e^- Linear Collider”
Eur. Phys. J. C **75** (2015) 8, 371 [arXiv:1504.01726 [hep-ph]].
- [291] K. de Vries, S. Heinemeyer et al.,
“The p MSSM10 after LHC Run 1”
Eur. Phys. J. C **75** (2015) 9, 422 [arXiv:1504.03260 [hep-ph]].
- [292] S. Heinemeyer,
“The MSSM Higgs Sector at the LHC and Beyond”
to appear in the proceedings of the “Toyama International Workshop on Higgs as a Probe of New Physics 2015”, 1115, February, 2015, Toyama, Japan, arXiv:1504.07957 [hep-ph].
- [293] S. Borowka, T. Hahn, S. Heinemeyer, G. Heinrich and W. Hollik,
“Renormalization scheme dependence of the two-loop QCD corrections to the neutral Higgs-boson masses in the MSSM”
Eur. Phys. J. C **75** (2015) 9, 424 [arXiv:1505.03133 [hep-ph]].
- [294] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,
“Applying Exclusion Likelihoods from LHC Searches to Extended Higgs Sectors”
Eur. Phys. J. C **75** (2015) 9, 421 [arXiv:1507.06706 [hep-ph]].
- [295] E. Bagnaschi, S. Heinemeyer et al.,
“Supersymmetric Dark Matter after LHC Run 1”
Eur. Phys. J. C **75** (2015) 500 [arXiv:1508.01173 [hep-ph]].
- [296] S. Heinemeyer, M. Mondragón, N. Tracas and G. Zoupanos,
“Finite Unified Theories: A successful example of Reduction of Couplings”
to appear in the proceedings of the “14th Hellenic School and Workshop on HEP and Gravity”, Corfu, Greece, September 2014
- [297] M. Gómez, S. Heinemeyer and M. Rehman,
“The Quark Flavor Violating Higgs Decay $h \rightarrow \bar{b}s + b\bar{s}$ in the MSSM”
Phys. Rev. D **93** (2016) 095021 [arXiv:1511.04342 [hep-ph]].
- [298] S. Heinemeyer and C. Schappacher,
“Neutral Higgs Boson Production at e^+e^- Colliders in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **76** (2016) 220 [arXiv:1511.06002 [hep-ph]].

- [299] T. Hahn, S. Heinemeyer, F. von der Pahlen, H. Rzehak and C. Schappacher, “Renormalization of the Complex MSSM in FeynArts/FormCalc” *Nucl. Part. Phys. Proc.* **267-269** (2015), 158.
- [300] M. Gómez, S. Heinemeyer and M. Rehman, “Effects of Sfermion Mixing induced by RGE in the CMSSM” to appear in the proceedings of “LFC15: physics prospects for Linear and other Future Colliders after the discovery of the Higgs”, Trento, Italy, September 2015, arXiv:1601.05746 [hep-ph].
- [301] P. Drechsel, L. Galeta, S. Heinemeyer and G. Weiglein, “Precise Predictions for the Higgs-Boson Masses in the NMSSM” *Eur. Phys. J. C* **77** (2016) no.5, 249 [arXiv:1601.08100 [hep-ph]].
- [302] F. Domingo, S. Heinemeyer, J.S. Kim and K. Rolbiecki, “The NMSSM lives: with the 750 GeV diphoton excess” *Eur. Phys. J. C* **76** (2016) 249 [arXiv:1602.07691 [hep-ph]].
- [303] S. Heinemeyer, “SUSY Fits and their Implications for ILC and CLIC” to appear in the proceedings of the “International Workshop on Future Linear Colliders (LCWS15)”, Whistler, Canada, November 2015, arXiv:1602.08040 [hep-ph].
- [304] S. Heinemeyer and C. Schappacher, “Neutral Higgs Boson Production at e^+e^- Colliders in the Complex MSSM: Towards the LC Precision” to appear in the proceedings of the “International Workshop on Future Linear Colliders (LCWS15)”, Whistler, Canada, November 2015, arXiv:1602.08041 [hep-ph].
- [305] P. Drechsel, L. Galeta, S. Heinemeyer and G. Weiglein, “Precise Predictions for the Higgs-Boson Masses in the Next-to-Minimal Supersymmetric Standard Model (NMSSM)” to appear in the proceedings of the “EPS-HEP 2015”, Vienna, Austria, July 2015
- [306] S. Heinemeyer, “The 750 GeV diphoton excess and SUSY” *Int. J. Mod. Phys. A* **31** (2016) 17, 1630023 [arXiv:1605.08324 [hep-ph]].
- [307] S. Heinemeyer and C. Schappacher, “Charged Higgs Boson Production at $e+e-$ Colliders in the Complex MSSM: A Full One-Loop Analysis” *Eur. Phys. J. C* **76** (2016) no.10, 535 [arXiv:1606.06981 [hep-ph]].
- [308] P. Bechtle, H. Haber, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and L. Zeune,

- “The Light and Heavy Higgs Interpretation of the MSSM”*
Eur. Phys. J. C **77** (2017) no.2, 67 [arXiv:1608.00638 [hep-ph]].
- [309] P. Drechsel, S. Heinemeyer and G. Weiglein,
“SUSY Higgs-mass predictions: NMSSM vs. MSSM”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2016*,
 Leipzig, Germany, April 2016
- [310] D. de Florian, S. Heinemeyer et al.,
“Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs sector”
Yellow Report CERN, arXiv:1610.07922 [hep-ph].
- [311] E. Bagnaschi, S. Heinemeyer et al.,
“Likelihood analysis of Supersymmetric SU(5) GUTs”
Eur. Phys. J. C **77** (2017) no.2, 104 [arXiv:1610.10084 [hep-ph]].
- [312] E. Bagnaschi, S. Heinemeyer et al.,
“Likelihood analysis of the Minimal AMSB Model”
Eur. Phys. J. C **77** (2017) no.4, 268 [arXiv:1612.05210 [hep-ph]].
- [313] P. Drechsel, R. Gröber, S. Heinemeyer, M. Mühlleitner, H. Rzehak and
 G. Weiglein,
“Higgs-Boson Masses and Mixing Matrices in the NMSSM: Analysis of On-Shell Calculations”
Eur. Phys. J. C **77** (2017) no.6, 366 [arXiv:1612.07681 [hep-ph]].
- [314] S. Heinemeyer,
“Heavy MSSM Higgs Interpretation of the LHC Run I Data”
 appeared in the proceedings of *cHarged 2016*, Uppsala, Sweden, October 2016,
 arXiv:1612.08249 [hep-ph].
- [315] K. Fujii, S. Heinemeyer et al.,
“The Potential of the ILC for Discovering New Particles”
 Document prepared for MEXT, Japan, arXiv:1702.05333 [hep-ph].
- [316] M. Gomez, S. Heinemeyer and M. Rehman,
“Lepton flavor violating Higgs Boson Decays in Supersymmetric High Scale Seesaw Models”
 arXiv:1703.02229 [hep-ph].
- [317] S. Heinemeyer and C. Schappacher,
“Chargino and Neutralino Production at e^+e^- Colliders in the Complex MSSM: A Full One-Loop Analysis”
Eur. Phys. J. C **77** (2017) no.9, 649 [arXiv:1704.07627 [hep-ph]].
- [318] H. Bahl, S. Heinemeyer, W. Hollik and G. Weiglein,
“Reconciling EFT and hybrid calculations of the light MSSM Higgs-boson

- mass*”
Eur. Phys. J. C **78** (2018) no.1, 57 [arXiv:1706.00346 [hep-ph]].
- [319] H. Haber, S. Heinemeyer and T. Stefaniak,
 “*The Impact of Two-Loop Effects on the Scenario of MSSM Higgs Alignment without Decoupling*”
Eur. Phys. J. C **77** (2017) no.11, 742 [arXiv:1708.04416 [hep-ph]].
- [320] S. Heinemeyer, M. Mondragon, N. Tracas and G. Zoupanos,
 “*Reduction of Couplings: Applications in Finite Theories and the MSSM*”
 appeared in the proceedings of *Corfu Summer Institute 2016 ”School and Workshops on Elementary Particle Physics and Gravity”*, Corfu, Greece, September 2016
- [321] E. Bagnaschi, S. Heinemeyer et al.,
 “*Likelihood Analysis of the p MSSM11 in Light of LHC 13-TeV Data*”
Eur. Phys. J. C **78** (2018) no.3, 256 [arXiv:1710.11091 [hep-ph]].
- [322] J. Costa, S. Heinemeyer et al.,
 “*Likelihood Analysis of the Sub-GUT MSSM in Light of LHC 13-TeV Data*”
Eur. Phys. J. C **78** (2018) no.2, 158 [arXiv:1711.00458 [hep-ph]].
- [323] S. Heinemeyer, M. Mondragon, N. Tracas and G. Zoupanos,
 “*Reduction of the Parameters in the MSSM*”
JHEP **1808** (2018) 150 [arXiv:1712.02729 [hep-ph]].
- [324] T. Biekötter, S. Heinemeyer and C. Muñoz,
 “*Precise predictions of the Higgs-Boson Masses in the $\mu\nu$ SSM*”
Eur. Phys. J. C **78** (2018) no.6, 504 [arXiv:1712.07475 [hep-ph]].
- [325] S. Heinemeyer, M. Mondragon, N. Tracas and G. Zoupanos,
 “*Reduction of parameters in Finite Unified Theories and the MSSM*”
Nucl. Phys. B **927** (2018) 319.
- [326] S. Heinemeyer,
 “*New SUSY Fits for the ILC and CLIC*”
 appeared in the proceedings of *International Workshop on Future Linear Colliders (LCWS2017)*, Strasbourg, France, October 2017, arXiv:1801.05191 [hep-ph].
- [327] S. Heinemeyer and C. Schappacher,
 “*Production of Electroweak SUSY Particles at ILC and CLIC*”
 appeared in the proceedings of *International Workshop on Future Linear Colliders (LCWS2017)*, Strasbourg, France, October 2017, arXiv:1801.05192 [hep-ph].
- [328] S. Heinemeyer, M. Mondragon, G. Patellis, N. Tracas and G. Zoupanos,
 “*The LHC Higgs Boson Discovery: Updated implications for Finite Unified*

- Theories and the SUSY breaking scale*
Symmetry **10** (2018) no.3, 62, arXiv:1802.04666 [hep-ph].
- [329] S. Heinemeyer and C. Schappacher,
 “*Slepton Production at e^+e Colliders in the Complex MSSM: A Full One-Loop Analysis*”
Eur. Phys. J. C **78** (2018) no.7, 536 [arXiv:1803.10645 [hep-ph]].
- [330] S. Heinemeyer and C. Schappacher,
 “*High-Precision Electroweak SUSY Production Cross Sections at e^+e^- Colliders*”
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2018*,
 St. Goar, Germany, April 2018, arXiv:1807.04009 [hep-ph].
- [331] F. Domingo, S. Heinemeyer, S. Paßehr and G. Weiglein,
 “*Decays of the neutral Higgs bosons into SM fermions and gauge bosons in the CP-violating NMSSM*”
Eur. Phys. J. C **78** (2018) no.11, 942 [arXiv:1807.06322 [hep-ph]].
- [332] M. Tanabashi, S. Heinemeyer et al.,
 “*Review of Particle Physics*”
Phys. Rev. D **98** (2018) no.3, 030001.
- [333] H. Bahl, S. Heinemeyer et al.,
 “*MSSM Higgs Boson Searches at the LHC: Benchmark Scenarios for Run 2 and Beyond*”
Eur. Phys. J. C **79** (2019) no.7, 617 [arXiv:1808.07542 [hep-ph]].
- [334] S. Heinemeyer, M. Mondragon, G. Patelis, N. Tracas and G. Zoupanos,
 “*The Higgs boson discovery: recent implications for the Finite Unified Theories and SUSY breaking scale*”
 appeared in the proceedings of *Corfu Summer Institute 2018 "School and Workshops on Elementary Particle Physics and Gravity"*, Corfu, Greece, September 2018.
- [335] E. Bagnaschi, S. Heinemeyer et al.,
 “*Supersymmetric Models in Light of Improved Higgs Mass Calculations*”
Eur. Phys. J. C **79** (2019) no.2, 149 [arXiv:1810.10905 [hep-ph]].
- [336] S. Heinemeyer,
 “*A Higgs boson below 125 GeV?!*”
Int. J. Mod. Phys. A **33** (2018) no.31, 1844006
- [337] H. Bahl, T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, S. Paßehr and G. Weiglein,
 “*Precision calculations in the MSSM Higgs-boson sector with FeynHiggs 2.14*”
Comp. Phys. Comm. **249** (2020) 107099 [arXiv:1811.09073 [hep-ph]].

- [338] S. Heinemeyer and T. Stefaniak,
“A Higgs Boson at 96 GeV?!”
 appeared in the proceedings of *cHarged 2018*, Uppsala, Sweden, October 2018,
 arXiv:1812.05864 [hep-ph].
- [339] A. Blondel, A. Freitas, J. Gluza, S. Heinemeyer, S. Jadach, P. Janot and T. Rie-
 mann,
*“Theory Requirements and Possibilities for the FCC-ee and other Future High
 Energy and Precision Frontier Lepton Colliders”*
 Contribution to the ESPP 2019, arXiv:1901.02648 [hep-ph].
- [340] A. Abada, S. Heinemeyer et al., FCC collaboration,
“HE-LHC: The High-Energy Large Hadron Collider”
Eur. Phys. J. Special Topics **228** (2019) no.5, 1109.
- [341] A. Abada, S. Heinemeyer et al., FCC collaboration,
*“FCC-hh: The Hadron Collider : Future Circular Collider Conceptual Design
 Report Volume 3”*
Eur. Phys. J. Special Topics **228** (2019) no.4, 755.
- [342] A. Abada, S. Heinemeyer et al., FCC collaboration,
*“FCC-ee: The Lepton Collider : Future Circular Collider Conceptual Design
 Report Volume 2”*
Eur. Phys. J. Special Topics **228** (2019) no.2, 261.
- [343] A. Abada, S. Heinemeyer et al., FCC collaboration,
*“FCC Physics Opportunities: Future Circular Collider Conceptual Design Re-
 port Volume 1”*
Eur. Phys. J. C **79** (2019) no.6, 474.
- [344] M. Cepeda, S. Heinemeyer et al., HL/HE-LHC WG2,
“Higgs Physics at the HL-LHC and HE-LHC”
 arXiv:1902.00314 [hep-ph].
- [345] T. Biekötter, M. Chakraborti and S. Heinemeyer,
“A 96 GeV Higgs Boson in the N2HDM”
Eur. Phys. J. C **80** (2020) no.1, 2 [arXiv:1903.11661 [hep-ph]].
- [346] S. Heinemeyer, M. Mondragon, N. Tracas, G. Zoupanos,
“Reduction of Couplings and its application in Particle Physics”
Phys. Rept. **814** (2019) 1 [arXiv:1904.00410 [hep-ph]].
- [347] E. Bagnaschi, S. Heinemeyer et al.,
*“Global Analysis of Dark Matter Simplified Models with Leptophobic Spin-One
 Mediators using MasterCode”*
Eur. Phys. J. C **79** (2019) no.11, 895 [arXiv:1905.00892 [hep-ph]].

- [348] T. Biekötter, M. Chakraborti and S. Heinemeyer,
 “An $N2HDM$ Solution for the possible 96 GeV Excess”
 appeared in the proceedings of *Corfu Summer Institute 2018 ”School and Workshops on Elementary Particle Physics and Gravity”*, Corfu, Greece, September 2018, arXiv:1905.03280 [hep-ph].
- [349] A. Blondel, S. Heinemeyer et al.,
 “Theory report on the 11th FCC-ee workshop”
 appeared in the proceedings of the *11th FCC-ee workshop*, arXiv:1905.05078 [hep-ph].
- [350] A. Freitas, S. Heinemeyer (editors) et al.,
 “Theoretical uncertainties for electroweak and Higgs-boson precision measurements at FCC-ee”
 arXiv:1906.05379 [hep-ph].
- [351] T. Biekötter, S. Heinemeyer and C. Muñoz,
 “Precise prediction for the Higgs-Boson masses in the $\mu\nu SSM$ with three right-handed neutrino superfields”
Eur. Phys. J. C **79** (2019) no.8, 667 [arXiv:1906.06173 [hep-ph]].
- [352] S. Heinemeyer, M. Mondragon, G. Patelis, N. Tracas and G. Zoupanos,
 “Reduction of Couplings: Finite Unified Theories and the reduced MSSM”
 appeared in the proceedings of *Corfu Summer Institute 2018 ”School and Workshops on Elementary Particle Physics and Gravity”*, Corfu, Greece, September 2018.
- [353] T. Biekötter, M. Chakraborti and S. Heinemeyer,
 “The ”96 GeV excess” in the $N2HDM$ ”
 to appear in the proceedings of *31st Rencontres de Blois*, June 2019, arXiv:1910.06858 [hep-ph].
- [354] H. Bahl, S. Heinemeyer, W. Hollik and G. Weiglein,
 “Theoretical uncertainties in the MSSM Higgs boson mass calculation”
 submitted to *Eur. Phys. J. C*, arXiv:1912.04199 [hep-ph].
- [355] T. Biekötter, M. Chakraborti and S. Heinemeyer,
 “The ”96 GeV excess” at the ILC”
 to appear in the proceedings of *LCWS19*, Sendai, Japan, 28 October-1 November, 2019, arXiv:2002.06904 [hep-ph].
- [356] F. Arco and S. Heinemeyer,
 “Higgs-Photon production at Future e^+e^- Colliders”
 to appear in the proceedings of *LCWS19*, Sendai, Japan, 28 October-1 November, 2019, arXiv:2002.06905 [hep-ph].
- [357] S. Heinemeyer, M. Mondragón, G. Patellis, N. Tracas and G. Zoupanos,
 “Updates and New Results in Models with Reduced Couplings”
 to appear in *Fortsch. Phys.* [arXiv:2002.10983 [hep-ph]]

- [358] T. Biekötter, M. Chakraborti and S. Heinemeyer,
“*The ”96 GeV excess” at the LHC*”
to appear in the “White Book” of the *IAS Program on High Energy Physics (HEP) 2020*, arXiv:2003.05422 [hep-ph].
- [359] W. Abdallah, S. Heinemeyer et al.,
“*Reinterpretation of LHC Results for New Physics: Status and Recommendations after Run 2*”
submitted to *Eur. Phys. J. C*, arXiv:2003.07868 [hep-ph].

Other articles:

- [360] T. Adams et al.,
“*Young Physicists’ Forum*”
published in the proceedings of the “Workshop on the Future of High Energy Physics”, Snowmass, USA, July 2001
hep-ex/0110027.
- [361] J. Conway, J. Gunion, H. Haber, S. Heinemeyer, G. Moortgat-Pick and G. Weiglein,
“*The EPP Questions: Response from the LHC/ILC Study Group*”
Report on the EPP2010 questions, May 2005.
- [362] A. De Roeck, J. Ellis and S. Heinemeyer,
“*Looking beyond the LHC*”
CERN Courier **49 N 10** (2009) 27.