

# List of publications

Sven Heinemeyer

- [1] S. Heinemeyer and W. Hollik,  
“*The decay  $h^0 \rightarrow A^0 A^0$ : a complete 1-loop calculation in the MSSM*”  
*Nucl. Phys.* **B 474** (1996) 32, hep-ph/9602318.
- [2] A. Djouadi, P. Gambino, S. Heinemeyer, W. Hollik, C. Jünger and G. Weiglein,  
“*Supersymmetric contributions to electroweak precision observables: QCD corrections*”  
*Phys. Rev. Lett.* **78** (1997) 3626, hep-ph/9612363.
- [3] A. Djouadi, P. Gambino, S. Heinemeyer, W. Hollik, C. Jünger and G. Weiglein,  
“*Leading QCD corrections to scalar quark contributions to electroweak precision observables*”  
*Phys. Rev.* **D 57** (1998) 4179, hep-ph/9710438.
- [4] S. Heinemeyer,  
“*Two-loop Calculations in the MSSM*”  
appeared in *Proceedings of the Workshop “Quantum Effects in the MSSM”*,  
ed. J. Sola (World Scientific, Singapore, 1997), hep-ph/9803294.
- [5] S. Heinemeyer, W. Hollik and G. Weiglein,  
“*QCD corrections to the masses of the neutral  $CP$ -even Higgs bosons in the MSSM*”  
*Phys. Rev.* **D 58** (1998) 091701, hep-ph/9803277.
- [6] S. Heinemeyer, W. Hollik and G. Weiglein,  
“*Two-Loop Results for the Masses of the Neutral  $CP$ -even Higgs Bosons in the MSSM*”  
appeared in *Proceedings of the XXXIIIrd Rencontres de Moriond: Electroweak interactions and unified theories*, Les Arcs, March 14–21, 1998, hep-ph/9806250.
- [7] S. Heinemeyer, W. Hollik and G. Weiglein,  
“*Diagrammatic calculations of the MSSM neutral Higgs masses up to two loop*”  
*Acta Phys. Pol.* **29** (1998) 2727.

- [8] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Precise prediction for the mass of the lightest Higgs boson in the MSSM”*  
*Phys. Lett. B* **440** (1998) 296, hep-ph/9807423.
- [9] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“The masses of the neutral  $\mathcal{CP}$ -even Higgs bosons in the MSSM: accurate analysis at the two-loop level”*  
*Eur. Phys. J. C* **9** (1999) 343, hep-ph/9812472.
- [10] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“FeynHiggs: a program for the calculation of the masses of the neutral  $\mathcal{CP}$ -even Higgs bosons in the MSSM”*  
*Comp. Phys. Comm.* **124** (2000) 76, hep-ph/9812320.
- [11] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“The mass of the lightest MSSM Higgs boson: a compact analytical expression at the two-loop level”*  
*Phys. Lett. B* **455** (1999) 179, hep-ph/9903404.
- [12] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Accurate Prediction for the Mass of the Lightest Higgs Boson in the MSSM”*  
 KA-TP-2-1999, contributed to [35].
- [13] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Precision analysis of the masses of the neutral Higgs bosons in the MSSM”*  
*Acta Phys. Pol.* **30** (1999) 1985, hep-ph/9903504.
- [14] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Constraints on  $\tan\beta$  in the MSSM from the Upper Bound on the Mass of the Lightest Higgs boson”*  
*JHEP* **06** (2000) 009, hep-ph/9909540.
- [15] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Precise Calculations for the neutral Higgs-boson masses in the MSSM”*  
 in *Proceedings of the International Workshop on Linear Colliders*, Sitges, April 28 – May 5, 1999, hep-ph/9910283.
- [16] S. Heinemeyer, Th. Mannel and G. Weiglein,  
*“Implications of results from Z- and WW- threshold running”*  
 in *Proceedings of the International Workshop on Linear Colliders*, Sitges, April 28 – May 5, 1999, hep-ph/9909538.
- [17] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“The neutral MSSM Higgs-boson masses and Bounds on  $\tan\beta$  ”*  
 appeared in *Proceedings of the International Europhysics Conference on High Energy Physics*, Tampere, July 15–21, 1999, hep-ph/9912263.

- [18] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,  
*“Suggestions for Improved Benchmark Scenarios for Higgs-Boson searches at LEP2”*  
 Contribution to the Workshop on *New Theoretical Developments for Higgs Physics at LEP2*, CERN, October 27, 1999, hep-ph/9912223.
- [19] A. Dedes, S. Heinemeyer, P. Teixeira-Dias and G. Weiglein,  
*“Upper Limit on  $m_h$  in the MSSM and M-SUGRA vs. prospective reach of LEP”*  
*Jour. Phys. G* **26** (2000) 582, hep-ph/9912249 and hep-ph/9912302.
- [20] M. Carena, H. Haber, S. Heinemeyer, W. Hollik, C. Wagner and G. Weiglein,  
*“Reconciling the Two-Loop Diagrammatic and Effective Field Theory Computations of the Mass of the Lightest  $\mathcal{CP}$ -even Higgs boson in the MSSM”*  
*Nucl. Phys. B* **580** (2000) 29, hep-ph/0001002.
- [21] S. Ambrosanio, S. Heinemeyer and G. Weiglein,  
*“Aspects of GMSB Phenomenology at TeV Colliders”*  
 hep-ph/0002191.
- [22] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“FeynHiggsFast: a program for the calculation of masses and mixing angles in the Higgs Sector of the MSSM”*  
 hep-ph/0002213.
- [23] A. Djouadi et al.,  
*“The Higgs Working Group: Summary Report”*  
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 1999, hep-ph/0002258.
- [24] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“Decay widths of the neutral  $\mathcal{CP}$ -even MSSM Higgs bosons in the Feynman-diagrammatic approach”*  
*Eur. Phys. J. C* **16** (2000) 139, hep-ph/0003022.
- [25] P. Bock et al.,  
*“Searches for Higgs bosons: Preliminary combined results using LEP data collected at energies up to 202 GeV”*  
 CERN-EP-2000-055.
- [26] M. Beneke et al.,  
*“Top Quark Physics”*  
 Report of the Top Quark Physics Working Group of the *CERN Workshop on SM physics (and more) at the LHC*, hep-ph/0003033.
- [27] S. Haywood et al.,  
*“Electroweak Physics”*  
 Report of the Electroweak Physics Working Group of the *CERN Workshop on SM physics (and more) at the LHC*, hep-ph/0003275.

- [28] J. Erler, S. Heinemeyer, W. Hollik, G. Weiglein and P. Zerwas,  
 “*Physics Impact of GigaZ*”  
*Phys. Lett. B* **486** (2000) 125, hep-ph/0005024.
- [29] S. Abdullin et al.,  
 “*The SUSY Working Group: Summary Report*”  
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches,  
 June 1999, hep-ph/0005142.
- [30] S. Heinemeyer and G. Weiglein,  
 “*Two-Loop Corrections to Higgs Production and Decay in the MSSM*”  
*Nucl. Phys. B (Proc. Suppl.)* **89** (2000) .
- [31] S. Heinemeyer and G. Weiglein,  
 “*Higgs Mass Predictions and Electroweak Precision Observables in the Stan-  
 dard Model and the MSSM*”  
*Nucl. Phys. B (Proc. Suppl.)* **89** (2000) 216, hep-ph/0007307.
- [32] A. Freitas, S. Heinemeyer, W. Hollik, W. Walter and G. Weiglein,  
 “*Calculation for Fermionic Two-Loop Contributions to muon decay*”  
*Nucl. Phys. B (Proc. Suppl.)* **89** (2000) 82, hep-ph/0007129.
- [33] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,  
 “*Do electroweak precision data and Higgs-mass constraints rule out a scalar  
 bottom with mass of  $\mathcal{O}(5 \text{ GeV})$ ?*”  
*Phys. Rev. Lett.* **86** (2001) 4463, hep-ph/hep-ph/0008023.
- [34] S. Andringa et al.,  
 “*Searches for Higgs bosons: Preliminary combined results using LEP data col-  
 lected at energies up to 209 GeV*”  
 ALEPH 2000-074 CONF 2000-051.
- [35] M. Carena et al.,  
 “*Report of the Higgs Working group*”  
 final report of the workshop *Physics at Run II: Workshop on Supersymmetry  
 / Higgs at Fermilab* , hep-ph/0010338.
- [36] S. Heinemeyer and G. Weiglein,  
 “*Electroweak Precision Tests with GigaZ*”  
 appeared in *Proceedings of the 5th International Linear Collider Workshop  
 (LCWS2000)*, Fermilab, Oct. 2000, hep-ph/0012364.
- [37] A. Freitas, S. Heinemeyer, W. Hollik, W. Walter and G. Weiglein,  
 “*Two-Loop Electroweak Contributions to  $\Delta r$* ”  
 appeared in *Proceedings of the 5th International Symposium on Radiative Cor-  
 rections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0101260.

- [38] S. Heinemeyer, W. Hollik, J. Rosiek and G. Weiglein,  
*“Production of the neutral  $CP$ -even MSSM Higgs bosons at  $e^+e^-$  colliders”*  
*Eur. Phys. J. C* **19** (2001) 535, hep-ph/hep-ph/0102081.
- [39] J. Erler and S. Heinemeyer,  
*“GigaZ: High Precision Tests of the SM and the MSSM”*  
 appeared in *Proceedings of the 5th International Symposium on Radiative Corrections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0102083.
- [40] S. Heinemeyer and G. Weiglein,  
*“Higgs Production and Decay in the MSSM: Status and Perspectives”*  
 appeared in *Proceedings of the 5th International Linear Collider Workshop (LCWS2000)*, Fermilab, Oct. 2000, hep-ph/0102117.
- [41] S. Heinemeyer and G. Weiglein,  
*“Precision Observables in the MSSM: Electroweak Two-loop Corrections”*  
 appeared in *Proceedings of the 5th International Symposium on Radiative Corrections (RADCOR2000)*, Carmel, USA, Sept. 2000., hep-ph/0102317.
- [42] S. Heinemeyer,  
*“Two-Loop Calculations in the MSSM with FeynArts”*  
 appeared in *Proceedings of the ACAT2000*, Fermilab, Oct. 2000, hep-ph/0102318.
- [43] M. Fischler et al.,  
*“Summaries of Recent Computer-Assisted Feynman Diagram Calculations”*  
 appeared in *Proceedings of the ACAT2000*, Fermilab, Oct. 2000.
- [44] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
*“Observability of the lightest CMSSM Higgs boson at Hadron Colliders”*  
*Phys. Lett. B* **515** (2001) 348, hep-ph/0105061.
- [45] S. Ambrosanio, A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,  
*“Implications of the Higgs boson searches on different soft SUSY-breaking scenarios”*  
*Nucl. Phys. B* **624** (2002) 3, hep-ph/0106255.
- [46] S. Heinemeyer and G. Weiglein,  
*“Resonant Production of the lightest MSSM Higgs Boson in  $\mu^+\mu^-$  Collisions: Suppression via Loop Corrections?”*  
 BNL–HET–01/22.
- [47] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“The Masses of the Neutral  $CP$ -even Higgs Bosons in the MSSM: Two-Loop Calculations in the Feynman-Diagrammatic Approach”*  
 LC note for the TESLA workshop (LC-TH-2001-063).

- [48] S. Heinemeyer, W. Hollik and G. Weiglein,  
*“FeynHiggs and FeynHiggsFast: Programs for Higher-Order Calculations in the Neutral CP-even Higgs Boson Sector of the MSSM”*  
 LC note for the TESLA workshop (LC-TH-2001-065).
- [49] J.A. Aguilar-Saavedra et al.,  
*“TESLA Technical Design Report Part III: Physics at an  $e+e-$  Linear Collider”*  
 hep-ph/0106315.
- [50] T. Abe et al.,  
*“Linear Collider Physics Resource Book for Snowmass 2001”*  
 hep-ex/0106055, hep-ex/0106056, hep-ex/0106057, hep-ex/0106057.
- [51] S. Heinemeyer,  
*“The Higgs Boson Sector of the Complex MSSM in the Feynman-Diagrammatic approach”*  
*Eur. Phys. J. C* **22** (2001) 521, hep-ph/0108059.
- [52] D. Asner, H. Burkhardt, A. De Roeck, J. Ellis, J. Gronberg, S. Heinemeyer, M. Schmitt, D. Schulte, M. Velasco and F. Zimmermann,  
*“Higgs Physics with a  $\gamma\gamma$  Collider Based on CLIC 1”*  
*Eur. Phys. J. C* **28** (2003) 27, hep-ex/0111056.
- [53] A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,  
*“Soft SUSY-breaking scenarios in the Light of Higgs Boson searches at LEP2”*  
 published in the proceedings of the “Workshop on the Future of High Energy Physics”, Snowmass, USA, July 2001, hep-ph/0110219.
- [54] U. Baur, R. Clare, J. Erler, S. Heinemeyer, D. Wackerroth, G. Weiglein and D. Wood,  
*“Theoretical and Experimental Status of the indirect Higgs Boson Mass Determination in the Standard Model”*  
 Contribution to the P1-WG1 report “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0111314.
- [55] J. Erler, S. Heinemeyer, K. Mönig, G. Moortgat-Pick, P. Rowson, E. Torrence, G. Weiglein and G. Wilson,  
*“Positron Polarization and Low Energy Running at a Linear Collider”*  
 Contribution to the E3 report “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0112070.
- [56] R. Clare, J. Erler, S. Heinemeyer and D. Wood (convenors),  
*“Present and Future Electroweak Precision Measurements and the Indirect Determination of the Mass of the Higgs Boson”*  
 P1-WG1 subgroup report, “Workshop on the Future of Particle Physics”, Snowmass, USA, July 2001, hep-ph/0202001.

- [57] B. Allanach et al.,  
*“The Snowmass Points and Slopes: Benchmarks for SUSY Searches”*  
*Eur. Phys. J. C* **25** (2002) 113, hep-ph/0202233.
- [58] M. Frank, S. Heinemeyer, W. Hollik and G. Weiglein,  
*“FeynHiggs1.2: Hybrid  $\overline{\text{MS}}$  /on-shell Renormalization for the CP-even Higgs Boson Sector in the MSSM”*  
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2001, hep-ph/0202166.
- [59] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,  
*“Suggestions for MSSM Benchmark Scenarios for Higgs Boson searches at Hadron Colliders”*  
*Eur. Phys. J. C* **26** (2003) 601, hep-ph/0202167.
- [60] A. Dedes, S. Heinemeyer and G. Weiglein,  
*“FeynSSG v.1.0: Numerical Calculation of the mSUGRA and Higgs spectrum”*  
 published in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2001.
- [61] C. Blöchliger et al.,  
*“Physics Opportunities at  $\mu^+\mu^-$  Higgs Factories”*  
 Contribution to the CERN  $\mu$ -Collider Workshop, hep-ph/0202199.
- [62] S. Dawson and S. Heinemeyer,  
*“The Higgs Boson Production Cross Section as a Precision Observable?”*  
*Phys. Rev. D* **66** (2002) 055002, hep-ph/0203067.
- [63] D. Cavalli et al.,  
*“The Higgs Working Group: Summary Report”*  
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 21 May - 1 Jun 2001, hep-ph/0203056.
- [64] G. Azuelos et al.,  
*“The Beyond the SM Working Group: Summary Report”*  
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 21 May - 1 Jun 2001, hep-ph/0204031.
- [65] S. Heinemeyer and G. Weiglein,  
*“Leading Electroweak Two-Loop Corrections to Precision Observables in the MSSM”*  
*JHEP* **10** (2002) 072, hep-ph/0209305.
- [66] T. Hahn, S. Heinemeyer and G. Weiglein,  
*“MSSM Higgs Boson Production at the Linear Collider: Dominant Corrections to the WW Fusion channel”*  
*Nucl. Phys. B* **652** (2003) 229, hep-ph/0211204.

- [67] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
*“Precision Analysis of the Lightest MSSM Higgs Boson at Future Colliders”*  
*JHEP* **01** (2003) 006, hep-ph/0211206.
- [68] T. Hahn, S. Heinemeyer and G. Weiglein,  
*“Very Heavy MSSM Higgs Boson production at the Linear Collider”*  
 appeared in the proceedings of *RADCOR 2002 – Loops & Legs 2002*, Kloster  
 Banz, Germany, September 2002, hep-ph/0211384.
- [69] G. Degrassi, S. Heinemeyer, W. Hollik, P. Slavich and G. Weiglein,  
*“Recent Developments in the Precise Determination of the MSSM Higgs sector”*  
*Eur. Phys. J. C* **28** (2003) 133, hep-ph/0212020.
- [70] A. Freitas, S. Heinemeyer and G. Weiglein,  
*“Two-Loop Results for  $M_W$  in the SM and the MSSM”*  
 appeared in the proceedings of *RADCOR 2002 – Loops & Legs 2002*, Kloster  
 Banz, Germany, September 2002, hep-ph/0212068.
- [71] M. Frank, S. Heinemeyer, W. Hollik and G. Weiglein,  
*“The Higgs Boson Sector of the Complex MSSM: a Complete One-Loop Anal-  
 ysis”*  
 appeared in the proceedings of *SUSY02*, DESY Hamburg, Germany, June 2002,  
 hep-ph/0212037.
- [72] S. Heinemeyer and G. Weiglein,  
*“Precision Observables in the MSSM: Status and Perspectives”*  
 appeared in the proceedings of *SUSY02*, DESY Hamburg, Germany, June 2002,  
 hep-ph/0301067.
- [73] A. Dedes, S. Heinemeyer, S. Su and G. Weiglein,  
*“The lightest Higgs Boson of  $mSUGRA$ ,  $mGMSB$  and  $mAMSB$  at Present and  
 Future Colliders: Observability and Precision Analyses”*  
*Nucl. Phys. B* **674** (2003) 271, hep-ph/0302174.
- [74] The LEP Higgs working group (incl. S. Heinemeyer),  
*“Search for the Standard Model Higgs Boson at LEP”*  
*Phys. Lett. B* **565** (2003) 61, hep-ex/0306033.
- [75] S. Heinemeyer, S. Kraml, W. Porod and G. Weiglein,  
*“Physics Impact of a Precise Determination of the Top Quark Mass at an  $e^+e^-$   
 Linear Collider”*  
*JHEP* **0309** (2003) 075, hep-ph/0306181.
- [76] S. Heinemeyer and G. Weiglein,  
*“The MSSM in the Light of Precision Data”*  
 appeared in proceedings of the workshop on *Electroweak Precision Data and  
 the Higgs Mass*, DESY-Zeuthen, February 2003, hep-ph/0307177.



- [77] D. Asner et al.,  
 “Complementary of a Low Energy Photon Collider and LHC Physics”  
 contributed to *LeptonPhoton 2003*, Fermilab, August 2003, hep-ph/0308103.
- [78] P. Skands et al.,  
 “SUSY Les Houches Accord: Interfacing SUSY Spectrum Calculators, Decay Packages and Event Generators”  
*JHEP* **0407** (2004) 036, hep-ph/0311123.
- [79] S. Heinemeyer, D. Stöckinger and G. Weiglein,  
 “Two-Loop SUSY Corrections to the Anomalous Magnetic Moment of the Muon”  
*Nucl. Phys. B* **690** (2004) 62, hep-ph/0312264.
- [80] T. Hahn, S. Heinemeyer, W. Hollik and G. Weiglein,  
 “FeynHiggs2.1: High precision calculations in the MSSM Higgs sector”  
 appeared in the proceedings of the *Physics at TeV Colliders*, Les Houches, June 2003.
- [81] O. Brein, T. Hahn, S. Heinemeyer and G. Weiglein,  
 “Single charged MSSM Higgs boson production at the LC”  
 appeared in the Proceedings of *SUSY03*, Tucson, June 2003, hep-ph/0402053.
- [82] B. Allanach et al.,  
 “The Beyond the SM Working Group: Summary Report”  
 appeared in the proceedings of Workshop *Physics at TeV Colliders*, Les Houches, France, 26 May - 6 Jun 2003, hep-ph/0402295.
- [83] S. Heinemeyer, W. Hollik, F. Merz and S. Peñaranda,  
 “Electroweak Precision Observables in the MSSM with Non-Minimal Flavor Violation”  
*Eur. Phys. J. C* **37** (2004) 481, hep-ph/0403228.
- [84] K. Ackermann et al.,  
 “Extended Joint ECFA/DESY Study on Physics and Detector for a Linear  $e^+e^-$  Collider”  
 DESY-PROC-2004-01.
- [85] A. Djouadi, S. Heinemeyer, M. Mondragon and G. Zoupanos,  
 “Finite Unified Theories and the Higgs Mass Prediction”  
 appeared in various proceedings, hep-ph/0404208.
- [86] S. Heinemeyer, D. Stöckinger and G. Weiglein,  
 “Electroweak and Supersymmetric Two-Loop Corrections to  $(g - 2)_\mu$ ”  
*Nucl. Phys. B* **699** (2004) 103, hep-ph/0405255.
- [87] K. Assamagan et al.,  
 “The Higgs Working Group: Summary Report”

- appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, 26 May - 6 Jun 2003, hep-ph/0406152.
- [88] S. Heinemeyer,  
*“SUSY Precision Physics”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2004*, Zinnowitz, Germany, April 2004, hep-ph/0406245.
- [89] K. Desch, E. Gross, S. Heinemeyer, G. Weiglein and L. Zivkovic,  
*“LHC/LC Interplay in the MSSM Higgs Sector”*  
*JHEP* **09** (2004) 062, hep-ph/0406322.
- [90] M. Dührssen, S. Heinemeyer, H. Logan, D. Rainwater, G. Weiglein and D. Zepfenfeld,  
*“Extracting Higgs boson couplings from LHC data”*  
*Phys. Rev. D* **70** (2004) 113009, hep-ph/0406323.
- [91] M. Dührssen, S. Heinemeyer, H. Logan, D. Rainwater, G. Weiglein and D. Zepfenfeld,  
*“Determination of Higgs boson couplings at the LHC”*  
 appeared in the proceedings of the *XXXIXth Rencontres de Moriond*, La Thuile, Italy, March 2004, hep-ph/0407190.
- [92] S. Heinemeyer, D. Stöckinger and G. Weiglein,  
*“The anomalous magnetic moment of the muon in the MSSM - recent developments”*  
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0407171.
- [93] S. Heinemeyer,  
*“MSSM Higgs Physics at Higher Orders”*  
*Int. J. Mod. Phys. A* **21** (2006) 2659, hep-ph/0407244.
- [94] S. Heinemeyer,  
*“Loop Calculations: Summary”*  
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0408269.
- [95] S. Heinemeyer,  
*“MSSM Higgs Physics: Theoretical Developments”*  
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0408340.
- [96] S. Heinemeyer, S. Kraml, W. Porod and G. Weiglein,  
*“Impact of a Precise Top Quark Measurement”*  
 appeared in the proceedings of *International Conference on Linear Colliders*, Paris, France, April 2004, hep-ph/0409063.

- [97] S. Heinemeyer, M. Velasco and M. Wood,  
“Explicit CP Violation in the Higgs Sector at  $\gamma\gamma$  Colliders and other Future Colliders”  
CERN-PH-TH/2004-187, nuhep-exp/04-16.
- [98] E.W.N. Glover et al.,  
“Top Quark Physics at Colliders”  
*Acta Phys. Pol.* **B 35** (2004) 2671, hep-ph/0410110.
- [99] G. Weiglein, S. Heinemeyer et al.,  
“Physics Interplay of the LHC and the ILC”  
to appear in *Phys. Rep.*, hep-ph/0410364.
- [100] S. Heinemeyer, G. Weiglein, H. Rzehak and G. Weiglein,  
“High Precision Predictions for the MSSM Higgs sector at  $\mathcal{O}(\alpha_b\alpha_s)$ ”  
*Eur. Phys. J. C* **39** (2005) 465, hep-ph/0411114.
- [101] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
“Indirect Sensitivities to the Scale of Supersymmetry”  
*JHEP* **0502** (2005) 013, hep-ph/0411216.
- [102] S. Heinemeyer, W. Hollik and G. Weiglein,  
“SUSY and Electroweak Precision Observables”  
*Phys. Rept.* **425** (2006) 265, hep-ph/0412214.
- [103] CLIC Higgs working group,  
“Physics at the CLIC Multi-TeV Linear Collider”  
CERN-2004-005, hep-ph/0412251.
- [104] W. Hollik et al.,  
“Electroweak Physics”  
*Acta Phys. Pol.* **B 35** (2004) 2533, hep-ph/0501246.
- [105] G. Degrandi et al.,  
“SUSY Particle Physics Summary”  
*Acta Phys. Pol.* **B 35** (2004) 2711.
- [106] J. Hastier, S. Heinemeyer, D Stöckinger and G. Weiglein,  
“Two-Loop Yukawa Corrections of Supersymmetric Particles”  
*JHEP* **0512** (2005) 027, hep-ph/0508139.
- [107] S. Peñaranda, S. Heinemeyer and W. Hollik,  
“ $M_W$ ,  $\sin^2 \theta_{\text{eff}}$  and  $m_h$  in the NMFV MSSM”  
appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506104.
- [108] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
“*The MSSM Higgs Sector at  $\mathcal{O}(\alpha_b\alpha_s)$  and Beyond*”

- appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506254.
- [109] J. Haestier, S. Heinemeyer, D. Stöckinger and G. Weiglein,  
 “*Two-Loop Contributions to Electroweak Precision Observables in the MSSM*”  
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506259.
- [110] S. Heinemeyer and M. Velasco,  
 “*Exploring Complex Phases of the MSSM at Future Colliders*”  
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0506267.
- [111] T. Hahn, S. Heinemeyer, W. Hollik and G. Weiglein,  
 “*Precision Higgs Masses with FeynHiggs2.2*”  
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0507009.
- [112] G. Moortgat-Pick et al.,  
 “*The Role of Polarized Positrons and Electrons in Revealing Fundamental Interactions at the Linear Collider*”  
*Phys. Rept.* **460** (2008) 131, hep-ph/0507011.
- [113] S. Heinemeyer and G. Weiglein,  
 “*Physics Gain of a Precise  $m_t$  Measurement*”  
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0508168.
- [114] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
 “*Sensitivities to the SUSY Scale from Electroweak Precision Observables*”  
 appeared in the proceedings of the *International Linear Collider Workshop (LCWS 2005)* Stanford, 18-22 March 2005, hep-ph/0508169.
- [115] M. Carena, S. Heinemeyer, C. Wagner and G. Weiglein,  
 “*MSSM Higgs Boson Searches at the Tevatron and the LHC: Impact of Different Benchmark Scenarios*”  
*Eur. Phys. J. C* **45** (2006) 797, hep-ph/0511023.
- [116] S. Heinemeyer et al.,  
 “*Toward High Precision Higgs-Boson Measurements at the International Linear  $e^+e^-$  Collider*”  
 contribution to the *Snowmass’05* workshop, Snowmass, July 2005, hep-ph/0511332.
- [117] J. Aguilar-Saavedra et al.,  
 “*Supersymmetry Parameter Analysis: SPA Convention and Project*”  
*Eur. Phys. J. C* **46** (2006) 43, hep-ph/0511344.

- [118] B. Allanach et al.,  
 “*The Beyond the SM Working Group: Summary Report*”  
 appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, 2 May - 20 May 2005, hep-ph/0602198.
- [119] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
 “*Phenomenological Indications of the Scale of Supersymmetry*”  
*JHEP* **0605** (2006) 005, hep-ph/0602220.
- [120] The LEP Higgs working group (incl. S. Heinemeyer),  
 “*Search for Neutral MSSM Higgs Bosons at LEP*”  
*Eur. Phys. J. C* **47** (2006) 547, hep-ex/0602042.
- [121] S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,  
 “*Precise Prediction for  $M_W$  in the MSSM*”  
*JHEP* **0608** (2006) 052, hep-ph/0604147.
- [122] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
 “*Indications of the CMSSM mass scale from precision electroweak data*”  
 contribution to the *Snowmass’05* workshop, Snowmass, July 2005, hep-ph/0604180.
- [123] T. Hahn, S. Heinemeyer, F. Maltoni, G. Weiglein and S. Willenbrock,  
 “*SM and MSSM Higgs Boson Production cross sections at the Tevatron and the LHC*”  
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0607308.
- [124] E. Accomando et al.,  
 “*Summary Report*”  
 Workshop on *CP studies and non-standard Higgs physics*, hep-ph/0608079.
- [125] V. Büscher et al.,  
 “*Tevatron-for-LHC report: Preparations for discovery*”  
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0608322.
- [126] J. Haestier, S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,  
 “*Precision observables in the MSSM:  $W$  mass and the muon magnetic moment*”  
 appeared in the proceedings of *SUSY’06*, Irvine (CA) USA, June 2006, hep-ph/0610318.
- [127] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
 “*Two-loop calculations in the MSSM with complex parameters*”  
*Nucl. Phys. B (Proc. Suppl.)* **160** (2006) 106.

- [128] M. Frank, T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“The Higgs Boson Masses and Mixings of the Complex MSSM in the Feynman-Diagrammatic Approach”*  
*JHEP* **0702** (2007) 047, hep-ph/0611326.
- [129] S. Heinemeyer, W. Hollik, D. Stöckinger, A.M. Weber and G. Weiglein,  
*“Testing the MSSM with the mass of the W boson”*  
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,  
 hep-ph/0611371.
- [130] S. Heinemeyer,  
*“Electroweak precision data and gravitino dark matter”*  
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,  
 hep-ph/0611372.
- [131] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, G. Weiglein and K. Williams,  
*“Higher-order corrected Higgs bosons in FeynHiggs 2.5”*  
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,  
 hep-ph/0611373.
- [132] S. Heinemeyer,  
*“The road towards the ILC: Higgs, top/QCD, loops”*  
 appeared in the proceedings of the *LCWS06*, Bangalore, India, March 2006,  
 hep-ph/0611374.
- [133] U. Aglietti et al.,  
*“Tevatron-for-LHC report: Higgs”*  
 contribution to the *Tev4LHC* workshop, Fermilab, 2004-2005, hep-ph/0612172.
- [134] S. Gennai, S. Heinemeyer, A. Kalinowski, R. Kinnunen, S. Lethi, A. Nikitenko  
 and G. Weiglein,  
*“Search for Heavy Neutral MSSM Higgs Bosons with CMS: Reach and Higgs-Mass Precision”*  
*Eur. Phys. J. C* **52** (2007) 383 [arXiv:0704.0619 [hep-ph]].
- [135] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“The Higgs sector of the complex MSSM at two-loop order: QCD contributions”*  
*Phys. Lett. B* **652** (2007) 300 [arXiv:0705.0746 [hep-ph]].
- [136] S. Heinemeyer, Y. Kahn, M. Schmitt and M. Velasco,  
*“An Experiment to Search for Light Dark Matter in Low-Energy ep Scattering”*  
 submitted to *Phys. Rev. D*, arXiv:0705.4056 [hep-ex].
- [137] J. Ellis, S. Heinemeyer, K. Olive, A.M. Weber and G. Weiglein,  
*“The Supersymmetric Parameter Space in the Light of B-physics Observables and Electroweak Precision Data”*  
*JHEP* **0708** (2007) 083 [arXiv:0706.0652 [hep-ph]].

- [138] J. Ellis, S. Heinemeyer, K. Olive and G. Weiglein,  
*“Light Heavy MSSM Higgs Bosons at Large  $\tan\beta$ ”*  
*Phys. Lett. B* **653** (2007) 292 [arXiv:0706.0977 [hep-ph]].
- [139] K. Dreiner, S. Heinemeyer, O. Kittel, U. Langfeld, A.M. Weber and G. Weiglein,  
*“How light can the lightest Neutralino be?”*  
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0707.1425 [hep-ph].
- [140] O. Buchmüller, S. Heinemeyer et al.,  
*“Prediction for the Lightest Higgs Boson Mass in the CMSSM using Indirect Experimental Constraints”*  
*Phys. Lett. B* **657** (2007) 87 [arXiv:0707.3447 [hep-ph]].
- [141] S. Heinemeyer, V.A. Khoze, M. Ryskin, W. Stirling, M. Trasevsky and G. Weiglein,  
*“Studying the MSSM Higgs sector by forward proton tagging at the LHC”*  
*Eur. Phys. J. C* **53** (2008) 231 [arXiv:0708.3052 [hep-ph]].
- [142] J. Ellis, T. Hahn, S. Heinemeyer, K. Olive and G. Weiglein,  
*“WMAP-Compliant Benchmark Surfaces for MSSM Higgs Bosons”*  
*JHEP* **0710** (2007) 092 [arXiv:0709.0098 [hep-ph]].
- [143] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“Consistent Treatment of Imaginary Contributions to Higgs-Boson Masses in the MSSM”*  
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0709.1907 [hep-ph].
- [144] S. Heinemeyer,  
*“Interplay of Electroweak Precision Observables and B Physics Observables”*  
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May 2007, arXiv:0709.1908 [hep-ph].
- [145] S. Heinemeyer, M. Mondragon and G. Zoupanos,  
*“Finite Unified Theories confronted with low-energy phenomenology”*  
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007, arXiv:0710.2257 [hep-ph].
- [146] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,  
*“Z Pole Observables in the MSSM”*  
*JHEP* **0804** (2008) 039 [arXiv:0710.2972 [hep-ph]].
- [147] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,  
*“MSSM precision physics at the Z resonance”*  
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007, arXiv:0710.2982 [hep-ph].

- [148] S. Heinemeyer,  
*“Higgs-Boson Benchmarks in Agreement with CDM, EWPO and BPO”*  
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,  
 arXiv:0710.3014 [hep-ph].
- [149] S. Heinemeyer,  
*“Electroweak Precision Physics from Low to High Energies”*  
 appeared in the proceedings of *Lepton Photon 07*, Daegu, Korea, August 2007,  
 arXiv:0710.3022 [hep-ph].
- [150] S. Heinemeyer, A. Nikitenko and G. Weiglein,  
*“Heavy MSSM Higgs Bosons at CMS: “LHC wedge” and Higgs-Mass Precision”*  
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,  
 arXiv:0710.3109 [hep-ph].
- [151] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“Higgs Masses and More in the Complex MSSM with FeynHiggs”*  
 appeared in the proceedings of the *SUSY07*, Karlsruhe, Germany, July 2007,  
 arXiv:0710.4891 [hep-ph].
- [152] S. Heinemeyer, W. Hollik, A.M. Weber and G. Weiglein,  
*“High-Precision Tests of the MSSM with GigaZ”*  
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May  
 2007, arXiv:0711.0456 [hep-ph].
- [153] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, G. Weiglein and K. Williams,  
*“CP-violating Loop Effects in the Higgs Sector of the MSSM”*  
 appeared in the proceedings of the *LCWS07*, DESY, Hamburg, Germany, May  
 2007, arXiv:0711.2020 [hep-ph].
- [154] S. Heinemeyer, M. Mondragon and G. Zoupanos,  
*“Confronting Finite Unified Theories with Low-Energy Phenomenology”*  
*JHEP* **0807** (2008) 135 [arXiv:0712.3630 [hep-ph]].
- [155] B. Allanach, S. Heinemeyer et al.,  
*“SUSY Les Houches Accord 2”*  
*Comp. Phys. Comm.* **180** (2009) 8 [arXiv:0801.0045 [hep-ph]].
- [156] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“The Higgs Sector in the CP-violating MSSM at  $\mathcal{O}(\alpha_t\alpha_s)$ ”*  
 appeared in the proceedings of the *RadCor 07*, Florence, Italy, October 2007.
- [157] F. del Aguila et al.,  
*“Collider aspects of flavour physics at high  $Q$ ”*  
*Eur. Phys. J. C* **57** (2008) 183 [arXiv:0801.1800 [hep-ph]].
- [158] M. Artuso et al.,  
*“B, D and K decays”*  
*Eur. Phys. J. C* **57** (2008) 309 [arXiv:0801.1833 [hep-ph]].



- [159] S. Heinemeyer, V.A. Khoze, M. Ryskin, W. Stirling, M. Trasevsky and G. Weiglein,  
*“Central Exclusive Diffractive MSSM Higgs-Boson Production at the LHC”*  
 appeared in the proceedings of the *EPS-HEP 07*, Manchester, UK, July 2007, arXiv:0801.1974 [hep-ph].
- [160] S. Dawson et al.,  
*“Higgs Working Group Summary Report”*  
 appeared in the proceedings of the Workshop *Physics at TeV Colliders*, Les Houches, France, June 2007, arXiv:0803.1154 [hep-ph].
- [161] M. Hashemi, S. Heinemeyer, R. Kinnunen, A. Nikitenko and G. Weiglein,  
*“Charged Higgs Bosons in the MSSM at CMS: Discovery reach and Parameter dependence”*  
 arXiv:0804.1228 [hep-ph].
- [162] S. Heinemeyer, X. Miao, S. Su and G. Weiglein,  
*“B-Physics Observables and Electroweak Precision Data in the CMSSM, mGMSB and mAMSB”*  
*JHEP* **0808** (2008) 087 [arXiv:0805.2359 [hep-ph]].
- [163] M. Albrow et al.,  
*“The FP420 R&D Project: Higgs and New Physics with forward protons at the LHC”*  
*JINST* **4** (2009) T10001 [arXiv:0806.0302 [hep-ex]].
- [164] S. Heinemeyer,  
*“Higgs Physics at the LHC: Some Theory Aspects”*  
 appeared in the proceedings *Spanish Winter Meeting 2008*, Baeza, February 2008, arXiv:0807.2514 [hep-ph].
- [165] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“Two-Loop Corrections to the Charged Higgs-Boson Mass in the MSSM”*  
*Nucl. Phys. B (Proc. Suppl.)* **183** (2008) 86.
- [166] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“FeynHiggs and More”*  
*Nucl. Phys. B (Proc. Suppl.)* **183** (2008) 202.
- [167] O. Buchmüller, S. Heinemeyer et al.,  
*“Predictions for Supersymmetric Particle Masses using Indirect Experimental and Cosmological Constraint”*  
*JHEP* **0808** (2008) 087 [arXiv:0808.4128 [hep-ph]].
- [168] S. Heinemeyer,  
*“How to determine SUSY mass scales now”*  
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008, arXiv:0809.2395 [hep-ph].

- [169] S. Heinemeyer, A. Nikitenko and G. Weiglein,  
*“Discovery Reach of Charged MSSM Higgs Bosons at CMS”*  
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008,  
 arXiv:0809.2396 [hep-ph].
- [170] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Selecting Finite Unified Theories with Current Data”*  
 appeared in the proceedings of *SUSY 08*, Seoul, Korea, July 2008,  
 arXiv:0809.2397 [hep-ph].
- [171] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finiteness and the Higgs mass prediction”*  
 appeared in the proceedings of *XIII International Conference on Selected Problems of Modern Theoretical Physics SPMTF 08*, Dubna, Russia, June 2008,  
 arXiv:0810.0727 [hep-ph].
- [172] D.G. Hitlin et al.,  
*“New Physics at the Super Flavor Factory”*  
 Proceedings of SuperB Workshop VI, Valencia, January 2009, arXiv:0810.1312  
 [hep-ph].
- [173] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,  
*“HiggsBounds: Confronting Arbitrary Higgs Sectors with Exclusion Bounds from LEP and the Tevatron”*  
*Comp. Phys. Comm.* **181** (2010) 138 [arXiv:0811.4169 [hep-ph]].
- [174] S. Heinemeyer, V.A. Khoze, M.G. Ryskin, M. Tasevsky and G. Weiglein,  
*“Central Exclusive Production of BSM Higgs bosons at the LHC”*  
 appeared in the proceedings of *ISMD08*, Hamburg, Germany, September 2008,  
 arXiv:0811.4571 [hep-ph].
- [175] S. Heinemeyer, A. Nikitenko and G. Weiglein,  
*“Charged MSSM Higgs Bosons at CMS: Reach and Parameter Dependence”*  
 appeared in the proceedings of *cHarged 2008*, Uppsala, Sweden, September 2008,  
 arXiv:0812.0524 [hep-ph].
- [176] S. Heinemeyer,  
*“Tools for Charged Higgs Bosons”*  
 appeared in the proceedings of *cHarged 2008*, Uppsala, Sweden, September 2008,  
 arXiv:0812.0524 [hep-ph].
- [177] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“FeynHiggs: A Program for the Calculation of MSSM Higgs-Boson Observables, Version 2.6.5”*  
*Comp. Phys. Comm.* **180** (2009) 1486.
- [178] H. Dreiner, S. Heinemeyer, O. Kittel, U. Langenfeld and G. Weiglein,  
*“Mass Bounds on a Very Light Neutralino”*  
*Eur. Phys. J. C* **62** (2009) 547 [arXiv:0901.3485 [hep-ph]].

- [179] J. Bartels et al.,  
*“Proceedings of the 38th International Symposium on Multiparticle Dynamics (ISMD08)”*  
 appeared in the proceedings of the *38th International Symposium on Multiparticle Dynamics ISMD08*, DESY, Hamburg, Germany, September 2008, arXiv:0902.0377 [hep-ph].
- [180] J. Fuster, S. Heinemeyer, C. Lacasta, C. Marinas, A. Ruiz-Jimeno and M. Vos,  
*“Forward tracking at the next  $e^+e^-$  collider part I: the physics case”*  
*JINST* **4** (2009) P08002 [arXiv:0905.2038 [hep-ex]].
- [181] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,  
*“HiggsBounds: Confronting arbitrary Higgs sectors with exclusion bounds from LEP and Tevatron”*  
 appeared in the proceedings of *Rencontres de Moriond - QCD and High Energy Interactions 2009*, Moriond, France, March 2009, arXiv:0905.2190 [hep-ph].
- [182] S. Heinemeyer,  
*“Indirect Limits on Higgs and SUSY Masses”*  
 appeared in the proceedings of *DIS09*, Madrid, Spain, April 2009, arXiv:0906.4677 [hep-ph].
- [183] O. Buchmüller, S. Heinemeyer et al.,  
*“Likelihood Functions for Supersymmetric Observables in Frequentist Analyses of the CMSSM and NUHM1”*  
*Eur. Phys. J. C* **64** (2009) 391 [arXiv:0907.5568 [hep-ph]].
- [184] A. De Roeck, J. Ellis, C. Grojean, S. Heinemeyer, K. Jakobs, G. Weiglein and J. Wells (editors),  
*“From the LHC to Future Colliders”*  
*Eur. Phys. J. C* **66** (2010) 525 [arXiv:0909.3240 [hep-ph]].
- [185] S. Heinemeyer,  
*“SUSY Predictions for the LHC”*  
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009, arXiv:0909.4662 [hep-ph].
- [186] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,  
*“New HiggsBounds from LEP and the Tevatron”*  
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009, arXiv:0909.4664 [hep-ph].
- [187] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,  
*“BSM Higgs Studies at the LHC in the Forward Proton Mode”*  
 appeared in the proceedings of *EDS09 (Blois workshop)* CERN, June 2009, arXiv:0909.4665 [hep-ph].

- [188] S. Heinemeyer, E. Ma, M. Mondragón and G. Zoupanos,  
*“Finite  $SU(3)^3$  models”*  
 appeared in the proceedings of *SUSY 09*, Boston, USA, June 2009,  
 arXiv:0910.0501 [hep-ph].
- [189] S. Heinemeyer,  
*“Higgs and Electroweak Physics”*  
 Lecture given at SUSSP65, St. Andrews, UK, August 2009, arXiv:0912.0361  
 [hep-ph].
- [190] O. Buchmüller, S. Heinemeyer et al.,  
*“Prediction for  $m_t$  and  $M_W$  in Minimal Supersymmetric Models”*  
*Phys. Rev. D* **81** (2010) 035009 [arXiv:0912.1036 [hep-ph]].
- [191] S. Heinemeyer, E. Ma, M. Mondragón and G. Zoupanos,  
*“Finite Unification: Theory and Predictions”*  
*SIGMA* **6** (2010) 049 [arXiv:1001.0428 [hep-ph]]
- [192] P. Nath et al.,  
*“The Hunt for New Physics at the LHC”*  
 Summary document for international workshop *Beyond the Standard  
 Model at the LHC* (Pre-SUSY09), Northeastern University, Boston, USA,  
 arXiv:1001.2693 [hep-ph].
- [193] M. Deile, S. Heinemeyer et al.,  
*“Moving Forward into the LHC Era”*  
 Summary document for the *13th International Conference on Elastic and  
 Diffractive Scattering (Blois Workshop)*, arXiv:1002.3527 [hep-ph].
- [194] J. Butterworth, S. Heinemeyer et al.,  
*“Tools and Monte Carlo”*  
 Les Houches 2009 Summary Report, arXiv:1003.1643 [hep-ph].
- [195] S. Heinemeyer and G. Weiglein,  
*“Predicting Supersymmetry”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2010*,  
 Wörlitz, Germany, April 2010, arXiv:1007.0206 [hep-ph].
- [196] S. Heinemeyer, H. Rzehak and C. Schappacher,  
*“Proposals for Bottom Quark/Squark Renormalization in the Complex MSSM”*  
*Phys. Rev. D* **82** (2010) 075010 [arXiv:1007.0689 [hep-ph]].
- [197] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“FeynHiggs 2.7”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2010*,  
 Wörlitz, Germany, April 2010, arXiv:1007.0956 [hep-ph].

- [198] S. Heinemeyer and G. Weiglein,  
*“Top, GigaZ, MegaW”*  
 appeared in the proceedings of *LCWS/ILC 2010*, Beijing, China, March 2010,  
 arXiv:1007.5232 [hep-ph].
- [199] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,  
*“Higgs Boson Masses in the MSSM with Heavy Majorana Neutrinos”*  
*JHEP* **1105** (2011) 063 [arXiv:1007.5512 [hep-ph]].
- [200] S. Heinemeyer, F. Mahmoudi et al.,  
*“Flavour Les Houches Accord: Interfacing Flavour related Codes”*  
*Comp. Phys. Comm.* **183** (2012) 285 [arXiv:1008.0762 [hep-ph]].
- [201] B. O’Leary, S. Heinemeyer et al.,  
*“SuperB Progress Report – Physics”*  
 Progress report of the future SuperB factory, arXiv:1008.1541 [hep-ph].
- [202] S. Heinemeyer,  
*“Discovering SUSY in the First LHC Run”*  
 appeared in the proceedings of *Physics at the LHC*, DESY Hamburg, Germany,  
 May 2010, arXiv:1009.2678 [hep-ph].
- [203] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,  
*“BSM Higgs Physics at the LHC in the Forward Proton Mode”*  
 appeared in the proceedings of *Physics at the LHC*, DESY Hamburg, Germany,  
 May 2010, arXiv:1009.2680 [hep-ph].
- [204] M. Carena, P. Draper, S. Heinemeyer, T. Liu, C. Wagner and G. Weiglein,  
*“Probing the Higgs Sector of High-Scale SUSY-Breaking Models at the Teva-  
 tron”*  
*Phys. Rev. D* **80** (2011) 055007 [arXiv:1011.5304 [hep-ph]].
- [205] O. Buchmüller, S. Heinemeyer et al.,  
*“Frequentist Analysis of the Parameter Space of Minimal Supergravity”*  
*Eur. Phys. J. C* **71** (2011) 1583 [arXiv:1011.6118 [hep-ph]].
- [206] S. Heinemeyer, H. Rzehak and C. Schappacher,  
*“Consistent Higher-Order Corrections to  $\tilde{t}_i \rightarrow \tilde{b}_j H^+$  in the Complex MSSM”*  
 appeared in the proceedings of *cHarged 2010*, Uppsala, Sweden, September  
 2010, arXiv:1012.4572 [hep-ph].
- [207] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,  
*“BSM Higgs Physics in the Exclusive Forward Proton Mode at the LHC”*  
*Eur. Phys. J. C* **71** (2011) 1649 [arXiv:1012.5007 [hep-ph]].
- [208] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,  
*“Introducing HiggsBounds 2.0.0”*  
 appeared in the proceedings of *cHarged 2010*, Uppsala, Sweden, September  
 2010, arXiv:1012.5170 [hep-ph].

- [209] S. Dittmaier, S. Heinemeyer et al.,  
*“Handbook of LHC Higgs Cross Sections: 1. Inclusive Observables”*  
*Yellow Report* CERN–2011–002 [arXiv:1101.0593 [hep-ph]]
- [210] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finite Unification: Theory, Models and Predictions”*  
 appeared in the proceedings of “7th Spring School and Workshop on QFT  
 and Hamiltonian Systems”, Craiova & Calimaensti-Caciulata, May 2010,  
 arXiv:1101.2476 [hep-ph].
- [211] P. Bechtle, O. Brein, S. Heinemeyer, G. Weiglein and K. Williams,  
*“HiggsBounds 2.0.0: Confronting Neutral and Charged Higgs Sector Predictions*  
*with Exclusion Bounds from LEP and the Tevatron”*  
*Comp. Phys. Comm.* **182** (2011) 2605 [arXiv:1101.1898 [hep-ph]].
- [212] O. Buchmüller, S. Heinemeyer et al.,  
*“Implications of Initial LHC Searches for Supersymmetry”*  
*Eur. Phys. J. C* **71** (2011) 1634 [arXiv:1102.4585 [hep-ph]].
- [213] S. Heinemeyer,  
*“SUSY Predictions for and from the LHC”*  
 appeared in the proceedings of “Workshop on Discovery Physics at the LHC  
 -Kruger 2010”, December 2010, Kruger National Park, Mpumalanga, South  
 Africa, arXiv:1103.0952 [hep-ph].
- [214] O. Buchmüller, S. Heinemeyer et al.,  
*“Supersymmetry and Dark Matter in Light of LHC 2010 and Xenon100 Data”*  
*Eur. Phys. J. C* **71** (2011) 1722 [arXiv:1106.2529 [hep-ph]].
- [215] S. Heinemeyer, V.A. Khoze, M. Ryskin, M. Tasevsky and G. Weiglein,  
*“Exclusive production of the BSM Higgs bosons at the LHC”*  
 appeared in the proceedings of “DIS 2011”, April 2011, Newport News, Vir-  
 ginia, USA, arXiv:1106.3450 [hep-ph].
- [216] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,  
*“ $M_h$  in MSSM with Heavy Majorana Neutrinos”*  
 appeared in the proceedings of “Moriond/EW 2011”, Moriond, France, April  
 2011, arXiv:1107.0241 [hep-ph].
- [217] A. Denner, S. Heinemeyer, I. Puljak, D. Rebuszi and M. Spira,  
*“Standard Model Higgs-Boson Branching Ratios with Uncertainties”*  
*Eur. Phys. J. C* **71** (2011) 1753 [arXiv:1107.5909 [hep-ph]].
- [218] M. Mangano, S. Heinemeyer et al.,  
*“Benchmark Models, Planes, Lines and Points for Future SUSY Searches at*  
*the LHC”*  
*Eur. Phys. J. C* **71** (2011) 1835 [arXiv:1109.3859 [hep-ph]].

- [219] M. Arana, S. Heinemeyer, M. Herrero and S. Peñaranda,  
*“Higgs Boson masses and B-Physics Constraints in Non-Minimal Flavor Violating SUSY scenarios”*  
*JHEP* **1205** (2012) 015 [arXiv:1109.6232 [hep-ph]].
- [220] O. Buchmüller, S. Heinemeyer et al.,  
*“Supersymmetry in Light of 1/fb of LHC Data”*  
*Eur. Phys. J. C* **72** (2012) 1878 [arXiv:1110.3568 [hep-ph]].
- [221] T. Fritzsche, S. Heinemeyer, H. Rzehak and C. Schappacher,  
*“Heavy Scalar Top Quark Decays in the Complex MSSM: A Full One-Loop Analysis”*  
*Phys. Rev. D* **86** (2012) 035014 [arXiv:1111.7289 [hep-ph]].
- [222] S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,  
*“Chargino Decays in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **72** (2012) 1892 [arXiv:1112.0760 [hep-ph]].
- [223] S. Heinemeyer and C. Schappacher,  
*“Gluino Decays in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **72** (2012) 1905 [arXiv:1112.2830 [hep-ph]].
- [224] S. Heinemeyer, O. Stal and G. Weiglein,  
*“Interpreting the LHC Higgs Search Results in the MSSM”*  
*Phys. Lett. B* **710** (2012) 201 [arXiv:1112.3026 [hep-ph]].
- [225] O. Buchmüller, S. Heinemeyer et al.,  
*“Higgs and Supersymmetry”*  
*Eur. Phys. J. C* **72** (2012) 2020 [arXiv:1112.3564 [hep-ph]].
- [226] S. Dittmaier, S. Heinemeyer et al.,  
*“Handbook of LHC Higgs Cross Sections: 2. Differential Distributions”*  
*Yellow Report* CERN–2012–002 [arXiv:1201.3084 [hep-ph]]
- [227] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,  
*“Heavy Majorana Neutrino Effects on MSSM- $M_h$ ”*  
 appeared in the proceedings of “RADCOR 2011”, Mamallapuram, India, September 2011, arXiv:1201.4770 [hep-ph].
- [228] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finite Unified Theories and the Higgs-Boson”*  
 appeared in the proceedings of “JW2011” workshop, Donji Milanovac, Serbia, August 2011, arXiv:1201.5171 [hep-ph].
- [229] S. Heinemeyer, M. Herrero, S. Peñaranda and A. Rodriguez,  
*“ $M_h$  in the MSSM-seesaw scenario with ILC precision”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6157 [hep-ph].

- [230] S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,  
*“MSSM Higgs Bosons from Stop and Chargino Decays”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6305 [hep-ph].
- [231] M. Arana, S. Heinemeyer, M. Herrero and S. Peñaranda,  
*“The Higgs Sector of the NMFV MSSM at the ILC”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1201.6345 [hep-ph].
- [232] S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,  
*“Neutralinos from Chargino Decays in the Complex MSSM”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.0488 [hep-ph].
- [233] S. Heinemeyer,  
*“Implications of SUSY Searches at the LHC for the ILC”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.1991 [hep-ph].
- [234] S. Heinemeyer,  
*“Progress for Higgs Bosons Physics at the LC”*  
 appeared in the proceedings of “LCWS 2011”, Granada, Spain, September 2011, arXiv:1202.5152 [hep-ph].
- [235] G. Brooijmans, S. Heinemeyer et al.,  
*“Physics at TeV Colliders New Physics Working Group Report”*  
 Les Houches 2011 Summary Report, arXiv:1203.1488 [hep-ph].
- [236] S. Kraml, S. Heinemeyer et al.,  
*“Searches for New Physics: Les Houches Recommendations for the Presentation of LHC Results”*  
*Eur. Phys. J. C* **72** (2012) 1976 [arXiv:1203.2489 [hep-ph]].
- [237] S. Heinemeyer and C. Schappacher,  
*“Heavy Scalar Tau Decays in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **72** (2012) 2136 [arXiv:1204.4001 [hep-ph]].
- [238] S. Heinemeyer, V.A. Khoze, M. Tasevsky and G. Weiglein,  
*“Exclusive production of the MSSM Higgs bosons at the LHC”*  
 appeared in the proceedings of “DIS 2012”, Bonn, Germany, March 2012, arXiv:1206.0183 [hep-ph].
- [239] R. Benbrik, M. Gomez Bock, S. Heinemeyer, O. Stål, G. Weiglein and L. Zeune,  
*“Confronting the MSSM and the NMSSM with the Discovery of a Signal in the two Photon Channel at the LHC”*  
*Eur. Phys. J. C* **72** (2012) 2171 [arXiv:1207.1096 [hep-ph]].



- [240] O. Buchmüller, S. Heinemeyer et al.,  
*“The CMSSM and NUHM1 in the Light of 7 TeV LHC,  $B_s \rightarrow \mu\mu$  and Xenon100 Data”*  
*Eur. Phys. J. C* **72** (2012) 2243 [arXiv:1207.7315 [hep-ph]].
- [241] A. Bharucha, S. Heinemeyer, F. v.d. Pahlen and C. Schappacher,  
*“Neutralino Decays in the Complex MSSM at One-Loop: a Comparison of On-Shell Renormalization Schemes”*  
*Phys. Rev. D* **86** (2012) 075023 [arXiv:1208.4106 [hep-ph]].
- [242] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and L. Zeune,  
*“MSSM Interpretations of the LHC Discovery: Light or Heavy Higgs?”*  
*Eur. Phys. J. C* **73** (2013) 2354 [arXiv:1211.1955 [hep-ph]].
- [243] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finite Theories after the discovery of a Higgs-like boson at the LHC”*  
*Phys. Lett. B* **718** (2013) 1430 [arXiv:1211.3765 [hep-ph]].
- [244] I. Campos, E. Fernandez del Castillo, S. Heinemeyer, A. Lopez-Garcia and F. v.d. Pahlen,  
*“Phenomenology Tools on Cloud Infrastructures using OpenStack”*  
*Eur. Phys. J. C* **73** (2013) 2375 [arXiv:1212.4784 [cs.DC]].
- [245] P. Bechtle, O. Brein, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and K. Williams,  
*“Recent Developments in HiggsBounds and a Preview of HiggsSignals ”*  
 appeared in the proceedings of *cHarged 2012*, Uppsala, Sweden, September 2012, arXiv:1301.2345 [hep-ph].
- [246] The LEP Higgs working group (incl. S. Heinemeyer),  
*“Search for Charged Higgs bosons: Combined Results Using LEP Data”*  
*Eur. Phys. J. C* **73** (2013) 2463 [arXiv:1301.6065 [hep-ph]].
- [247] S. Heinemeyer,  
*“Higgs/Electroweak in the SM and the MSSM”*  
 Lecture given at SUSSP69, St. Andrews, UK, August 2012, arXiv:1301.7197 [hep-ph].
- [248] M. Carena, S. Heinemeyer, O. Stål, C. Wagner and G. Weiglein,  
*“MSSM Higgs Boson Searches at the LHC: Benchmark Scenarios after the Discovery of a Higgs-like Particle”*  
*Eur. Phys. J. C* **73** (2013) 2552 [arXiv:1302.7033 [hep-ph]].
- [249] S. Heinemeyer,  
*“Towards fully automated (N)MSSM calculations”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2012*, Wernigerode, Germany, April 2012

- [250] M. Arana, S. Heinemeyer and M. Herrero,  
*“New Constraints on General Slepton Flavor Mixing”*  
*Phys. Rev. D* **88** (2013) 015026 [arXiv:1304.2783 [hep-ph]].
- [251] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finite unified theories and their predictions”*  
*Phys. Part. Nucl.* **44** (2013) 299.
- [252] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,  
*“HiggsSignals: Confronting arbitrary Higgs sectors with measurements at the Tevatron and the LHC”*  
*Eur. Phys. J. C* **74** (2014) 2711 [arXiv:1305.1933 [hep-ph]].
- [253] S. Heinemeyer, M. Mondragón and G. Zoupanos,  
*“Finite Theories Before and After the Discovery of a Higgs Boson at the LHC”*  
*Fortsch. Phys.* **61** (2013) 11, 969. 1305.5073
- [254] J.A. Aguilar-Saavedra, R. Benbrik, S. Heinemeyer and M. Perez-Victoria,  
*“A handbook of vector-like quarks: mixing and single production”*  
*Phys. Rev. D* **88** (2013) 9, 094010 [arXiv:1306.0572 [hep-ph]].
- [255] M. Frank, L. Galeta, T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“The Charged Higgs Boson Mass of the MSSM in the Feynman-Diagrammatic Approach”*  
*Phys. Rev. D* **88** (2013) 055013 [arXiv:1306.1156 [hep-ph]].
- [256] S. Heinemeyer,  
*“Status Review of Theory Predictions for Charged Higgs Cross Sections and Branching Ratios”*  
 appeared in the proceedings of *cHarged 2012*, Uppsala, Sweden, September 2012
- [257] S. Heinemeyer et al.,  
*“Handbook of LHC Higgs Cross Sections: 3. Higgs Properties”*  
 to appear in *Yellow Report CERN*, arXiv:1307.1347 [hep-ph].
- [258] A. Freitas, K. Hagiwara, S. Heinemeyer, P. Langacker, K. Moenig, M. Tanabashi and G. Wilson,  
*“Exploring Quantum Physics at the ILC”*  
 Snowmass White Paper, arXiv:1307.3962 [hep-ph].
- [259] A. Bharucha, S. Heinemeyer and F. v.d. Pahlen,  
*“Direct Chargino-Neutralino Production at the LHC: Interpreting the Exclusion Limits in the Complex MSSM”*  
*Eur. Phys. J. C* **73** (2013) 2629 [arXiv:1307.4237 [hep-ph]].

- [260] T. Fritzsche, T. Hahn, S. Heinemeyer, H. Rzehak and C. Schappacher,  
*“The Implementation of the Renormalized Complex MSSM in FeynArts and FormCalc”*  
*Comp. Phys. Comm.* **185** (2014) 1529 [arXiv:1309.1692 [hep-ph]].
- [261] M. Baak, S. Heinemeyer et al.,  
*“Study of Electroweak Interactions at the Energy Frontier”*  
 Snowmass report: Electroweak working group, arXiv:1310.6708 [hep-ph].
- [262] S. Dawson, S. Heinemeyer et al.,  
*“Higgs Working Group Report of the Snowmass 2013 Community Planning Study”*  
 Snowmass report: Higgs working group, arXiv:1310.8361 [hep-ph].
- [263] P. Bechtle, O. Brein, S. Heinemeyer, T. Stefaniak, O. Stål, G. Weiglein and K. Williams,  
*“HiggsBounds-4: Improved Tests of Extended Higgs Sectors against Exclusion Bounds from LEP, the Tevatron and the LHC”*  
*Eur. Phys. J. C* **74** (2014) 2693 [arXiv:1311.0055 [hep-ph]].
- [264] S. Heinemeyer, W. Hollik, G. Weiglein and L. Zeune,  
*“Implications of LHC search results on the W boson mass prediction in the MSSM”*  
*JHEP* **1312** (2013) 084 [arXiv:1311.1663 [hep-ph]].
- [265] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“High-precision predictions for the light CP-even Higgs Boson Mass of the MSSM”*  
*Phys. Rev. Lett.* **112** (2014) 141801 [arXiv:1312.4937 [hep-ph]].
- [266] O. Buchmüller, S. Heinemeyer et al.,  
*“Implications of Improved Higgs Mass Calculations for Supersymmetric Models ”*  
*Eur. Phys. J. C* **74** (2014) 2809 [arXiv:1312.5233 [hep-ph]].
- [267] O. Buchmüller, S. Heinemeyer et al.,  
*“The CMSSM and NUHM1 after LHC Run 1”*  
*Eur. Phys. J. C* **74** (2014) 2922 [arXiv:1312.5250 [hep-ph]].
- [268] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,  
*“Probing the Standard Model with Higgs signal rates from the Tevatron, the LHC and a future ILC”*  
*JHEP* **1411** (2014) 039 [arXiv:1403.1582 [hep-ph]].
- [269] S. Heinemeyer, M. Mondragon, N. Tracas and G. Zoupanos,  
*“Reduction of Couplings in Quantum Field Theories with applications in Finite Theories and the MSSM”*  
 appeared in the proceedings of *10th International Workshop on Lie Theory*

- and Its Applications in Physics*, June 2013, Varna, Bulgaria, arXiv:1403.7384 [hep-ph].
- [270] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“Prediction of the light CP-even Higgs-Boson Mass of the MSSM: Towards the ILC Precision”*  
 appeared in the proceedings of *LCWS13*, November 2013, Tokyo, Japan, arXiv:1404.0186 [hep-ph].
- [271] A. Bharucha, S. Heinemeyer and F. v.d. Pahlen,  
*“Does the LHC exclude SUSY Particles at the ILC?”*  
 appeared in the proceedings of *LCWS13*, November 2013, Tokyo, Japan, arXiv:1404.0365 [hep-ph].
- [272] S. Heinemeyer, M. Mondragon and G. Zoupanos,  
*“Finite Theories predictions vs. the Discovery of a Higgs-like Boson at the LHC”*  
 appeared in the proceedings of *1st International Conference on New Frontiers in Physics*, June 2012, Crete, Greece
- [273] S. Borowka, T. Hahn, S. Heinemeyer, G. Heinrich and W. Hollik,  
*“Momentum-dependent two-loop QCD corrections to the neutral Higgs-boson masses in the MSSM”*  
*Eur. Phys. J. C* **74** (2014) 8, 2994 [arXiv:1404.7074 [hep-ph]].
- [274] S. Heinemeyer,  
*“Higgs Physics”*  
 lecture given at the *42. ITEP Winter school*, February 2014, Moscow, Russia, arXiv:1405.3781 [hep-ph].
- [275] M. Arana-Catania, S. Heinemeyer and M. Herrero,  
*“Updated Constraints on General Squark Flavor Mixing”*  
*Phys. Rev. D* **90** (2014) 075003 [arXiv:1405.6960 [hep-ph]].
- [276] T. Hahn, S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,  
*“Fully Automated Calculations in the complex MSSM”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0231 [hep-ph].
- [277] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“Higher-Order Contributions in Higgs Sectors of Supersymmetric Models”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0232 [hep-ph].
- [278] C. Groß, T. Hahn, S. Heinemeyer, F. v.d. Pahlen, H. Rzehak and C. Schappacher,  
*“New Developments in FormCalc 8.4”*  
 appeared in the proceedings of *Loops & Legs in Quantum Field Theory 2014*, Weimar, Germany, April 2014, arXiv:1407.0235 [hep-ph].

- [279] S. Heinemeyer, J. Hernandez-Garcia, M. Herrero, X. Marcano and A. Rodriguez-Sanchez,  
*“Radiative corrections to  $M_h$  from three generations of Majorana neutrinos and sneutrinos”*  
*Adv. High Energy Phys.* **2015** (2015) 152394 [arXiv:1407.1083 [hep-ph]]
- [280] S. Heinemeyer, M. Mondragon and G. Zoupanos,  
*“The LHC Higgs boson discovery: Implications for Finite Unified Theories”*  
*Int. J. Mod. Phys. A* **29** (2014) 18, 1430032 [arXiv:1412.5766 [hep-ph]].
- [281] M. Gómez, T. Hahn, S. Heinemeyer and M. Rehman,  
*“Higgs masses and Electroweak Precision Observables in the Lepton-Flavor-Violating MSSM”*  
*Phys. Rev. D* **90** (2014) 074016 [arXiv:1408.0663 [hep-ph]].
- [282] O. Buchmüller, S. Heinemeyer et al.,  
*“The NUHM2 after LHC Run 1”*  
*Eur. Phys. J. C* **74** (2014) 12, 3212 [arXiv:1408.4060 [hep-ph]].
- [283] S. Heinemeyer and C. Schappacher,  
*“Heavy Higgs Decays into Sfermions in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **75** (2015) 5, 198 [arXiv:1410.2787 [hep-ph]].
- [284] S. Heinemeyer,  
*“Charged Higgs Bosons in the LHCHSWG”*  
 1411.6526, arXiv:appeared in the proceedings of *cHarged 2014*, Uppsala, Sweden, September 2014 [hep-ph].
- [285] S. Heinemeyer, J. Kubo, M. Mondragón, O Piguet, K. Sibold, W. Zimmermann and G. Zoupanos,  
*“Reduction of couplings and its application in particle physics, Finite theories, Higgs and top mass predictions”*  
 1411.7155, arXiv: [hep-ph].
- [286] S. Heinemeyer, M. Mondragón, N. Tracas and G. Zoupanos,  
*“Reduction of couplings in a finite GUT and the MSSM”*  
*Phys. Part. Nucl. Lett.* **11** (2014) 7, 910.
- [287] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein,  
*“High Precision Prediction for  $M_h$  in the MSSM”*  
 appeared in the proceedings of “ICHEP 2014”, Valencia, Spain, July 2014
- [288] M. Gómez, S. Heinemeyer and M. Rehman,  
*“Effects of Sfermion Mixing induced by RGE Running in the Minimal Flavor Violating CMSSM”*  
*Eur. Phys. J. C* **75** (2015) 9, 434 [arXiv:1501.02258 [hep-ph]].

- [289] S. Heinemeyer and C. Schappacher,  
*“Higgs Decays into Charginos and Neutralinos in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **75** (2015) 5, 230 [arXiv:1503.02996 [hep-ph]].
- [290] G. Moortgat-Pick, S. Heinemeyer et al.,  
*“Physics at the  $e^+e^-$  Linear Collider”*  
*Eur. Phys. J. C* **75** (2015) 8, 371 [arXiv:1504.01726 [hep-ph]].
- [291] K. de Vries, S. Heinemeyer et al.,  
*“The  $p$ MSSM10 after LHC Run 1”*  
*Eur. Phys. J. C* **75** (2015) 9, 422 [arXiv:1504.03260 [hep-ph]].
- [292] S. Heinemeyer,  
*“The MSSM Higgs Sector at the LHC and Beyond”*  
to appear in the proceedings of the “Toyama International Workshop on Higgs as a Probe of New Physics 2015”, 1115, February, 2015, Toyama, Japan, arXiv:1504.07957 [hep-ph].
- [293] S. Borowka, T. Hahn, S. Heinemeyer, G. Heinrich and W. Hollik,  
*“Renormalization scheme dependence of the two-loop QCD corrections to the neutral Higgs-boson masses in the MSSM”*  
*Eur. Phys. J. C* **75** (2015) 9, 424 [arXiv:1505.03133 [hep-ph]].
- [294] P. Bechtle, S. Heinemeyer, O. Stål, T. Stefaniak and G. Weiglein,  
*“Applying Exclusion Likelihoods from LHC Searches to Extended Higgs Sectors”*  
*Eur. Phys. J. C* **75** (2015) 9, 421 [arXiv:1507.06706 [hep-ph]].
- [295] E. Bagnaschi, S. Heinemeyer et al.,  
*“Supersymmetric Dark Matter after LHC Run 1”*  
*Eur. Phys. J. C* **75** (2015) 500 [arXiv:1508.01173 [hep-ph]].
- [296] S. Heinemeyer, M. Mondragón, N. Tracas and G. Zoupanos,  
*“Finite Unified Theories: A successful example of Reduction of Couplings”*  
to appear in the proceedings of the “14th Hellenic School and Workshop on HEP and Gravity”, Corfu, Greece, September 2014
- [297] M. Gómez, S. Heinemeyer and M. Rehman,  
*“The Quark Flavor Violating Higgs Decay  $h \rightarrow \bar{b}s + b\bar{s}$  in the MSSM”*  
*Phys. Rev. D* **93** (2016) 095021 [arXiv:1511.04342 [hep-ph]].
- [298] S. Heinemeyer and C. Schappacher,  
*“Neutral Higgs Boson Production at  $e^+e^-$  Colliders in the Complex MSSM: A Full One-Loop Analysis”*  
*Eur. Phys. J. C* **76** (2016) 220 [arXiv:1511.06002 [hep-ph]].

- [299] T. Hahn, S. Heinemeyer, F. von der Pahlen, H. Rzehak and C. Schappacher, “Renormalization of the Complex MSSM in FeynArts/FormCalc” *Nucl. Part. Phys. Proc.* **267-269** (2015), 158.
- [300] M. Gómez, S. Heinemeyer and M. Rehman, “Effects of Sfermion Mixing induced by RGE in the CMSSM” to appear in the proceedings of “LFC15: physics prospects for Linear and other Future Colliders after the discovery of the Higgs”, Trento, Italy, September 2015, arXiv:1601.05746 [hep-ph].
- [301] P. Drechsel, L. Galeta, S. Heinemeyer and G. Weiglein, “Precise Predictions for the Higgs-Boson Masses in the NMSSM” submitted to *Eur. Phys. J. C*, arXiv:1601.08100 [hep-ph].
- [302] F. Domingo, S. Heinemeyer, J.S. Kim and K. Rolbiecki, “The NMSSM lives: with the 750 GeV diphoton excess” *Eur. Phys. J. C* **76** (2016) 249 [arXiv:1602.07691 [hep-ph]].
- [303] S. Heinemeyer, “SUSY Fits and their Implications for ILC and CLIC” to appear in the proceedings of the “International Workshop on Future Linear Colliders (LCWS15)”, Whistler, Canada, November 2015, arXiv:1602.08040 [hep-ph].
- [304] S. Heinemeyer and C. Schappacher, “Neutral Higgs Boson Production at  $e^+e^-$  Colliders in the Complex MSSM: Towards the LC Precision” to appear in the proceedings of the “International Workshop on Future Linear Colliders (LCWS15)”, Whistler, Canada, November 2015, arXiv:1602.08041 [hep-ph].
- [305] P. Drechsel, L. Galeta, S. Heinemeyer and G. Weiglein, “Precise Predictions for the Higgs-Boson Masses in the Next-to-Minimal Supersymmetric Standard Model (NMSSM)” to appear in the proceedings of the “EPS-HEP 2015”, Vienna, Austria, July 2015
- [306] S. Heinemeyer, “The 750 GeV diphoton excess and SUSY” *Int. J. Mod. Phys. A* **31** (2016) 17, 1630023 [arXiv:1605.08324 [hep-ph]].
- [307] S. Heinemeyer and C. Schappacher, “Charged Higgs Boson Production at  $e+e-$  Colliders in the Complex MSSM: A Full One-Loop Analysis” *Eur. Phys. J. C* **76** (2016) no.10, 535 [arXiv:1606.06981 [hep-ph]].
- [308] P. Bechtle, H. Haber, S. Heinemeyer, O. Stål, T. Stefaniak, G. Weiglein and L. Zeune,

“*The Light and Heavy Higgs Interpretation of the MSSM*”  
submitted to *Eur. Phys. J. C*, arXiv:1608.00638 [hep-ph].

- [309] P. Drechsel, S. Heinemeyer and G. Weiglein,  
“*SUSY Higgs-mass predictions: NMSSM vs. MSSM*”  
to appear in the proceedings of *Loops & Legs in Quantum Field Theory 2016*,  
Leipzig, Germany, April 2016
- [310] D. de Florian, S. Heinemeyer et al.,  
“*Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs sector*”  
to appear in *Yellow Report CERN*, arXiv:1610.07922 [hep-ph].
- [311] E. Bagnaschi, S. Heinemeyer et al.,  
“*Likelihood analysis of Supersymmetric SU(5) GUTs*”  
submitted to *Eur. Phys. J. C*, arXiv:1508.01173 [hep-ph].

Other articles:

- [312] T. Adams et al.,  
“*Young Physicists’ Forum*”  
published in the proceedings of the “Workshop on the Future of High Energy  
Physics”, Snowmass, USA, July 2001  
hep-ex/0110027.
- [313] J. Conway, J. Gunion, H. Haber, S. Heinemeyer, G. Moortgat-Pick and  
G. Weiglein,  
“*The EPP Questions: Response from the LHC/ILC Study Group*”  
Report on the EPP2010 questions, May 2005.
- [314] A. De Roeck, J. Ellis and S. Heinemeyer,  
“*Looking beyond the LHC*”  
*CERN Courier* **49 N 10** (2009) 27.